

Numenius americanus




- Present
- Breeding
- Presence Expected
- Possible Breeding
- Historical

Ecosystem-based Automated Range (EBAR)

Date Generated: November 7, 2025; Version: 1.0; Stage: Expert Reviewed (Partially Reviewed - National); Scope: Canadian

Synonyms Used: None



0 450 900 km
Map centre: 95.5906°O 54.3676°N

© NatureServe Canada 2026 under CC BY 4.0
EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Input Records - 540 AB Breeding Bird Atlas (2000-2005), 210 BC Breeding Bird Atlas (2008), 76 BC Non-sensitive Element Occurrences (1963-2022), 465 BC Survey Observations (1974-2017), 1809 BC Telemetry Observations (2017-2018), 2705 Birds Canada Nature Counts (1884-2024), 10998 eBird (1905-2022), 9682 FWMIS (1970-2024), 1 GBIF (1941), 481 iNaturalist.ca (1992-2025), 28 iNaturalist.ca (original coordinates for obscured records) (2017-2025), 261 SK Breeding Bird Atlas (2017), 155 SK Element Occurrences (1988-2018), 65 SK Observation Points (1905-2022), 429 SK Source ... (see metadata for additional input details)

Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	<i>Numenius americanus</i> Bechstein, 1812
Scientific Name Reference:	American Ornithologists' Union (AOU). 1998. Check-list of North American birds. Seventh edition. American Ornithologists' Union, Washington, D.C. [as modified by subsequent supplements and corrections published in <i>The Auk</i>]. Also available online: http://www.aou.org/ .
National English Name:	Long-billed Curlew
National French Name:	Courli à long bec; Courlis à long bec
Element National ID:	166449
Element Global ID:	100438 (go to NatureServe Explorer)
Element Code:	ABNNF07070
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	52
English COSEWIC Common Name:	Long-billed Curlew
French COSEWIC Common Name:	Courlis à long bec

Rank/Status

Global Rank:	G4 (reviewed March 12, 2024)
National Rank (Canada):	N3B (reviewed 2024)
Subnational Ranks (Canada):	AB=S3B, BC=S4B, MB=SXB, SK=S3B
National Rank (United States):	N4 (reviewed 2024)
Subnational Ranks (United States):	AL=S2N, AZ=S1B,S3S4N, CA=S2, CO=S2B, FL=S2N, GA=S3, IA=SXB, ID=S2B, IL=SXB, KS=S1B,S2N, LA=S3N, MN=SXB,SNRM, MS=SNA, MT=S3B, NC=SNA, ND=S2, NE=S3, NM=S3B,S4M, NN=S3M, NV=S2S3B, OK=S2B, OR=S3B, SC=S2S3N, SD=S3B, TX=S3B,S5N, UT=S3, WA=S2S3B,S2N, WI=SX, WY=S3S4B
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	Special Concern/Préoccupante (January 12, 2005)
Canadian COSEWIC Status:	Threatened
US ESA Status:	None

Range Map

Date Generated:	November 07, 2025
Version:	1.0
Stage:	Expert Reviewed (Partially Reviewed - National)
Scope:	Canadian
Metadata:	Primary Species - <i>Numenius americanus</i> Bechstein, 1812 Input Records - 540 AB Breeding Bird Atlas (2000-2005), 210 BC Breeding Bird Atlas (2008), 76 BC Non-sensitive Element Occurrences (1963-2022), 465 BC Survey Observations (1974-2017), 1809 BC Telemetry Observations (2017-2018), 2705 Birds Canada Nature Counts (1884-2024), 10998 eBird (1905-2022), 9682 FWMIS (1970-2024), 1 GBIF (1941), 481 iNaturalist.ca (1992-2025), 28 iNaturalist.ca (original coordinates for obscured records) (2017-2025), 261 SK Breeding Bird Atlas (2017), 155 SK Element Occurrences (1988-2018), 65 SK Observation Points (1905-2022), 429 SK Source Feature Points (2001-2023), 584 SK Source Feature Polygons (1988-2023), 1 US Element Occurrences (1997-2008); Expert Reviews - BC Experts, John Klymko
Comments:	This range has been partially reviewed.
Disclaimer:	Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.

The absence of data in any geographic areas does not necessarily mean that a species is not present.

An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.

Presence Definitions:

(Please see Comments above for any exceptions)

Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.

Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.

Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical.

Usage Type Definitions:

(Please see Comments above for any exceptions)

Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.

Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.

Map Projection:

North America Albers Equal Area Conic (WKID 4269)

Credits

Suggested Citation:

NatureServe Canada, 2026. Ecosystem-based Automated Range (EBAR) for *Numenius americanus*, Version 1.0, Expert Reviewed (Partially Reviewed - National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]

License:

Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2026 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/)

Project Website:

www.natureserve.org/canada/ebars

Contact:

ebars-kba@natureserve.ca

Input References:

AB Breeding Bird Atlas - [Alberta Breeding Bird Atlas. 2005. Data accessed from NatureCounts, a node of the Avian Knowledge Network, Birds Canada. Available: https://www.naturecounts.ca/](#)

BC Breeding Bird Atlas - Birds Canada, Canadian Wildlife Service, British Columbia Ministry of Environment, BC Nature, BC Field Ornithologists, Biodiversity Centre for Wildlife Studies, Louisiana Pacific, Pacific Wildlife Foundation, The, and Canadian Wildlife Service. 2026. "British Columbia Breeding Bird Atlas (2008-2012): highest breeding evidence per square". Data accessed from NatureCounts, Birds Canada. 10.71842/h3by-9r85

BC Non-sensitive Element Occurrences - [British Columbia Conservation Data Centre](#)

BC Survey Observations - [British Columbia Conservation Data Centre](#)

BC Telemetry Observations - [British Columbia Conservation Data Centre](#)

Birds Canada Nature Counts - [Birds Canada. 2024. NatureCounts data. https://naturecounts.ca. Accessed on 8 Feb. 2024. And Accessed on 24 Dec. 2024.](#)

eBird - [eBird Basic Dataset. Version: EBD_relMar-2022. Cornell Lab of Ornithology, Ithaca, New York. Mar 2022. eBird: An online database of bird distribution and abundance \[web application\]. eBird, Cornell Lab of Ornithology, Ithaca, New York. Available: http://www.ebird.org](#)

FWMIS - Fish and Wildlife Management Information System (FWMIS), Alberta Environment and Parks.

GBIF - [Global Biodiversity Information Facility](#)

iNaturalist.ca - [California Academy of Sciences and the National Geographic Society](#)

iNaturalist.ca (original coordinates for obscured records) - [California Academy of Sciences and the National Geographic Society](#)

SK Breeding Bird Atlas - Saskatchewan Breeding Bird Atlas. 2017. Data accessed from NatureCounts, a node of the Avian Knowledge Network, Birds Canada. Available: <https://www.naturecounts.ca/>

SK Element Occurrences - Saskatchewan Conservation Data Centre

SK Observation Points - Saskatchewan Conservation Data Centre

SK Source Feature Points - Saskatchewan Conservation Data Centre

SK Source Feature Polygons - Saskatchewan Conservation Data Centre

US Element Occurrences - NatureServe and its Natural Heritage Programs

Reviewers by Taxa:

[Reviewers by Taxa](#)