## Centronyx henslowii

Present Simple Breeding


Presence Expected ### Possible Breeding

Historical



#### Ecosystem-based Automated Range (EBAR)

Date Generated: March 25, 2024; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian



Map centre: 79.4378°W 47.2749°N © NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.



# Ecosystem-based Automated Range (EBAR) Metadata

# **Species**

National Scientific Name: Centronyx henslowii (Audubon, 1829)

Scientific Name Reference: American Ornithological Society (AOS). Chesser, R.T., K.J. Burns, C. Cicero, J.L. Dunn, A.W. Kratter, I.J. Lovette, P.C.

Rasmussen, J.V. Remsen, Jr., D.F. Stotz, B.M. Winger, and K. Winker. 2018. Fifty-ninth Supplement to the American

Ornithologists' Union Check-list of North American Birds. The Auk 135:798-813.

National English Name: Henslow's Sparrow

National French Name: Bruant de Henslow

Element National ID: 167533

Element Global ID: 100620 (go to NatureServe Explorer)

Element Code: ABPBXA0030

Endemism Type: N

Canadian COSEWIC Name: Ammodramus henslowii

Canadian COSEWIC ID: 23

# Rank/Status

Global Rank: G4 (reviewed April 06, 2016)

National Rank (Canada): N1B (reviewed 2023)

Subnational Ranks (Canada): ON=S1B, QC=S1B

National Rank (United States): N3B,N4N (reviewed 1997)

Subnational Ranks (United States): AL=S2N, AR=S1B,S2N, CT=SHB,SHN, DC=S2S3N, DE=S1B,S1N, FL=S3N, GA=S2, IA=S3B,S2N, IL=S2S3, IN=S3B, KS=S3B,

KY=S3B, LA=S3N, MA=S1, MD=S2B, MI=S3, MN=S1B, MO=S3, MS=S2N, NC=S1B,S1N, NE=S1, NH=SHB, NJ=S1B,S1N, NY=S3B, OH=S4, OK=S2, PA=S3B,S2M, RI=SX, SC=S1?N, SD=S1B, TN=S1B, TX=S2S3N,SXB, VA=S1B, VT=S1B, WI=S2S3B, WV=S1B

National Rank (Mexico): None
Subnational Ranks (Mexico): None

Canadian SARA Status: Endangered/En voie de disparition (June 05, 2003)

Canadian COSEWIC Status: Endangered (May 06, 2011)

US ESA Status: None

## Range Map

**Date Generated:** March 25, 2024

Version: 1.0

Stage: Expert Reviewed (National)

Scope: Canadian

Metadata: Primary Species - Centronyx henslowii (Audubon, 1829); Synonyms - Ammodramus henslowii (Audubon, 1829)

Input Records - 1172 eBird, 4 iNaturalist.ca, 49 iNaturalist.ca (original coordinates for obscured records), 15 ON Breeding Bird Atlas, 80 ON Element Occurrences, 1320 ON Observations and Source Features, 3 QC Element

Occurrences; Expert Reviews - Ryan Fisher, 1 Anonymous

Comments: None

Please see spatial data for Ecoshape-level reviewer comments.

**Disclaimer:** Please review our methods document before using EBAR.

EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended

for all types of applications and analysis.

The absence of data in any geographic areas does not necessarily mean that a species is not present.

An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic

area.

**Presence Definitions:** (Please see Comments above for any exceptions)

Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source

Features, Canadian Federal Critical Habitat, or expert opinion.

Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a

habitat suitability model.

Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an

Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).

**Usage Type Definitions:** (Please see Comments above for any exceptions)

Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert

opinion.

Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction

Breeding and Behaviour Codes, or on expert opinion.

Map Projection: North America Albers Equal Area Conic (WKID 4269)

## Credits

Suggested Citation: NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for Centronyx henslowii, Version 1.0, Expert

Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]

License: Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0

(creativecommons.org/licenses/by/4.0/)

Project Website: <a href="https://www.natureserve.org/canada/ebar">www.natureserve.org/canada/ebar</a>

Contact: <u>ebar-kba@natureserve.ca</u>

Input References: eBird - eBird Basic Dataset. Version: EBD\_relMar-2022. Cornell Lab of Ornithology, Ithaca, New York. Mar 2022. eBird:

An online database of bird distribution and abundance [web application]. eBird, Cornell Lab of Ornithology, Ithaca, New

York. Available: http://www.ebird.org

iNaturalist.ca - California Academy of Sciences and the National Geographic Society

iNaturalist.ca (original coordinates for obscured records) - California Academy of Sciences and the National Geographic

Society

ON Breeding Bird Atlas - Birds Canada, Environment Canada's Canadian Wildlife Service, Ontario Nature, Ontario Field Ornithologists and Ontario Ministry of Natural Resources. 2008. Ontario Breeding Bird Atlas Database. Data accessed

from NatureCounts, a node of the Avian Knowledge Network, Birds Canada.

ON Element Occurrences - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry ON Observations and Source Features - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and

**Forestry** 

QC Element Occurrences - Centre de Données sur le Patrimoine Naturel du Québec

Reviewers by Taxa: Reviewers by Taxa