

## *Rana aurora*


- Present
- Presence Expected
- Historical



### Ecosystem-based Automated Range (EBAR)

Date Generated: January 26, 2022; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: *Rana aurora aurora*



0 140 280 km

Input Records - 818 BC Incidental Observations, 140 BC Non-sensitive Element Occurrences, 3535 BC Survey Observations, 302 BISON, 694 GBIF, 4 iDigBio, 759

iNaturalist.ca, 159 VertNet; Expert Reviews - 1 Anonymous

Map centre: 126.6138°W 51.5837°N

© NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

## Ecosystem-based Automated Range (EBAR) Metadata

---

### Species

National Scientific Name:	<i>Rana aurora</i> Baird and Girard, 1852
Scientific Name Reference:	Frost, D.R. 2020. Amphibian Species of the World: an Online Reference. Version 6.0. American Museum of Natural History, New York, USA. Online: <a href="http://research.amnh.org/herpetology/amphibia/index.html">http://research.amnh.org/herpetology/amphibia/index.html</a>
National English Name:	Northern Red-legged Frog
National French Name:	Grenouille à pattes rouges
Element National ID:	167599
Element Global ID:	100633 ( <a href="#">go to NatureServe Explorer</a> )
Element Code:	AAABH01021
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	566

## Rank/Status

Global Rank:	G4 (reviewed May 19, 2015)
National Rank (Canada):	N3 (reviewed 2021)
Subnational Ranks (Canada):	BC=S3
National Rank (United States):	N4 (reviewed 1996)
Subnational Ranks (United States):	AK=SNA, CA=S3, OR=S3S4, WA=S4
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	Special Concern/Préoccupante (January 12, 2005)
Canadian COSEWIC Status:	Special Concern (May 01, 2015)
US ESA Status:	None

## Range Map

Date Generated:	January 26, 2022
Version:	1.0
Stage:	Expert Reviewed (National)
Scope:	Canadian
Metadata:	Primary Species Name - <i>Rana aurora</i> Baird and Girard, 1852; Synonyms - <i>Rana aurora aurora</i> Baird and Girard, 1852 Input Records - 818 BC Incidental Observations, 140 BC Non-sensitive Element Occurrences, 3535 BC Survey Observations, 302 BISON, 694 GBIF, 4 iDigBio, 759 iNaturalist.ca, 159 VertNet; Expert Reviews - 1 Anonymous
Comments:	None <a href="#">Please see spatial data for Ecoshape-level reviewer comments.</a>
Disclaimer:	Please review our <a href="#">methods document</a> before using EBAR.  EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.  The absence of data in any geographic areas does not necessarily mean that a species is not present.  An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions)  Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.  Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.  Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).
Usage Type Definitions:	(Please see Comments above for any exceptions)  Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.  Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)

## Credits

<b>Suggested Citation:</b>	NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for <i>Rana aurora</i> , Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
<b>License:</b>	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 ( <a href="https://creativecommons.org/licenses/by/4.0/">creativecommons.org/licenses/by/4.0/</a> )
<b>Project Website:</b>	<a href="http://www.natureserve.org/canada/ebars">www.natureserve.org/canada/ebars</a>
<b>Contact:</b>	<a href="mailto:ebars-kba@natureserve.ca">ebars-kba@natureserve.ca</a>
<b>Input References:</b>	BC Non-sensitive Element Occurrences - British Columbia Conservation Data Centre BC Survey Observations - British Columbia Conservation Data Centre BC UNVETTED Incidental Observations - British Columbia Conservation Data Centre BISON - <a href="#">United States Geological Survey</a> GBIF - <a href="#">Global Biodiversity Information Facility</a> iDigBio - <a href="#">Integrated Digital Biocollection</a> iNaturalist.ca - <a href="#">California Academy of Sciences and the National Geographic Society</a> iNaturalist.ca (original coordinates for obscured records) - <a href="#">California Academy of Sciences and the National Geographic Society</a> VertNet - <a href="#">National Science Foundation</a>
<b>Reviewers by Taxa:</b>	<a href="#">Reviewers by Taxa</a>