

Lanius ludovicianus migrans



- Present
- Breeding
- Presence Expected
- Possible Breeding
- Historical

Ecosystem-based Automated Range (EBAR)

Date Generated: November 7, 2025; Version: 1.0; Stage: Expert Reviewed (Partially Reviewed - National); Scope: Canadian

Synonyms Used: None



0 180 360 km Input Records - 34 ECCC Critical Habitat (2024), 6 iNaturalist.ca (original coordinates for obscured records) (2017-2024), 19 MB Element Occurrences (1930-2013), 1 MB Source Feature Lines (1986), 15 MB Source Feature Points (1985-2009), 69 MB Source Feature Polygons (1930-2013); Expert Reviews - John Klymko, Hazel Wheeler

Map centre: 86.27°O 46.7318°N
 © NatureServe Canada 2026 under CC BY 4.0
 EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	<i>Lanius ludovicianus migrans</i> Palmer, 1898
Scientific Name Reference:	American Ornithologists' Union (AOU). 1957. The AOU check-list of North American birds, 5th ed. Port City Press, Inc., Baltimore, MD. 691 pp.
National English Name:	Migrant Loggerhead Shrike
National French Name:	Pie-grièche migratrice migrans
Element National ID:	162383
Element Global ID:	102567 (go to NatureServe Explorer)
Element Code:	ABPBR01037
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	26
English COSEWIC Common Name:	Loggerhead Shrike migrans subspecies
French COSEWIC Common Name:	Pie-grièche migratrice de la sous-espèce migrans

Rank/Status

Global Rank:	G4T3Q (reviewed April 09, 2016)
National Rank (Canada):	NNRB (reviewed 2023)
Subnational Ranks (Canada):	MB=SXB, NB=SXB, NS=SXB, ON=SNRB, PE=SNA, QC=SNRB
National Rank (United States):	N3B,N3N (reviewed 1997)
Subnational Ranks (United States):	AR=S3B,S3N, CT= SXN, DC=SHN,SXB, GA=S3, IA=S3B,S3N, IL=SNR, MA=SXB,S1N, MD=SHB, ME=SHB,S1?N, MI=S1, MN=S1B, MO=SNR, MS=S3N, NE=SNR, NH=SHB, NJ=S1N, NY=S1B, OH=SNR, OK=S2?, PA=S1B,S1M, TN=S3, TX=S2B, VA=S1, VT=SHB, WV=S1B,S1N
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	Endangered/En voie de disparition (June 05, 2003)
Canadian COSEWIC Status:	None
US ESA Status:	None

Range Map

Date Generated:	November 07, 2025
Version:	1.0
Stage:	Expert Reviewed (Partially Reviewed - National)
Scope:	Canadian
Metadata:	Primary Species - <i>Lanius ludovicianus migrans</i> Palmer, 1898 Input Records - 34 ECCC Critical Habitat (2024), 6 iNaturalist.ca (original coordinates for obscured records) (2017-2024), 19 MB Element Occurrences (1930-2013), 1 MB Source Feature Lines (1986), 15 MB Source Feature Points (1985-2009), 69 MB Source Feature Polygons (1930-2013); Expert Reviews - John Klymko, Hazel Wheeler
Comments:	This range has been partially reviewed.
Disclaimer:	Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present. An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions) Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion. Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model. Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical.
Usage Type Definitions:	(Please see Comments above for any exceptions) Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion. Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)

Credits

Suggested Citation:	NatureServe Canada, 2026. Ecosystem-based Automated Range (EBAR) for <i>Lanius ludovicianus migrans</i> , Version 1.0, Expert Reviewed (Partially Reviewed - National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
License:	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2026 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/)
Project Website:	www.natureserve.org/canada/ebars
Contact:	ebars-kba@natureserve.ca
Input References:	ECCC Critical Habitat - Environment and Climate Change Canada iNaturalist.ca (original coordinates for obscured records) - California Academy of Sciences and the National Geographic Society MB Element Occurrences - Manitoba Conservation Data Centre MB Source Feature Lines - Manitoba Conservation Data Centre MB Source Feature Points - Manitoba Conservation Data Centre MB Source Feature Polygons - Manitoba Conservation Data Centre
Reviewers by Taxa:	Reviewers by Taxa