

# Rhodostethia rosea




- Present
- Breeding
- Presence Expected
- Possible Breeding
- Historical


## Ecosystem-based Automated Range (EBAR)

Date Generated: March 25, 2024; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None



Esri, TomTom, Garmin, FAO, NOAA, USGS, NRCan, Parks Canada, Esri, USGS



Input Records - 911 eBird, 6 iNaturalist.ca, 1 MB Element Occurrences, 1 MB Source Feature Polygons, 4 NU Element Occurrences, 6 NU Source Feature Polygons, 1 SK Observation Points; Expert Reviews - Jennifer Provencher

Map centre: 98.0676° W 72.0615° N  
 © NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

## Ecosystem-based Automated Range (EBAR) Metadata

---

### Species

National Scientific Name:	<i>Rhodostethia rosea</i> (MacGillivray, 1824)
Scientific Name Reference:	American Ornithologists' Union (AOU). 1998. Check-list of North American birds. Seventh edition. American Ornithologists' Union, Washington, D.C. [as modified by subsequent supplements and corrections published in <i>The Auk</i> ]. Also available online: <a href="http://www.aou.org/">http://www.aou.org/</a> .
National English Name:	Ross's Gull
National French Name:	Mouette rosée
Element National ID:	168004
Element Global ID:	103586 ( <a href="#">go to NatureServe Explorer</a> )
Element Code:	ABNNM05010
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	59

## Rank/Status

<b>Global Rank:</b>	G4 (reviewed April 09, 2016)
<b>National Rank (Canada):</b>	N1B (reviewed 2023)
<b>Subnational Ranks (Canada):</b>	MB=S1B, NU=S1B
<b>National Rank (United States):</b>	NNA (reviewed 1997)
<b>Subnational Ranks (United States):</b>	AK=S3S4M
<b>National Rank (Mexico):</b>	None
<b>Subnational Ranks (Mexico):</b>	None
<b>Canadian SARA Status:</b>	Threatened/Menacée (June 05, 2003)
<b>Canadian COSEWIC Status:</b>	Endangered (May 01, 2021)
<b>US ESA Status:</b>	None

## Range Map

<b>Date Generated:</b>	March 25, 2024
<b>Version:</b>	1.0
<b>Stage:</b>	Expert Reviewed (National)
<b>Scope:</b>	Canadian
<b>Metadata:</b>	Primary Species - <i>Rhodostethia rosea</i> (MacGillivray, 1824) Input Records - 911 eBird, 6 iNaturalist.ca, 1 MB Element Occurrences, 1 MB Source Feature Polygons, 4 NU Element Occurrences, 6 NU Source Feature Polygons, 1 SK Observation Points; Expert Reviews - Jennifer Provencher
<b>Comments:</b>	None <a href="#">Please see spatial data for Ecoshape-level reviewer comments.</a>
<b>Disclaimer:</b>	Please review our <a href="#">methods document</a> before using EBAR.  EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.  The absence of data in any geographic areas does not necessarily mean that a species is not present.  An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
<b>Presence Definitions:</b>	(Please see Comments above for any exceptions)  Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.  Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.  Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).
<b>Usage Type Definitions:</b>	(Please see Comments above for any exceptions)  Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.  Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
<b>Map Projection:</b>	North America Albers Equal Area Conic (WKID 4269)

## Credits

<b>Suggested Citation:</b>	NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for <i>Rhodostethia rosea</i> , Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
<b>License:</b>	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 ( <a href="https://creativecommons.org/licenses/by/4.0/">creativecommons.org/licenses/by/4.0/</a> )
<b>Project Website:</b>	<a href="http://www.natureserve.org/canada/ebar">www.natureserve.org/canada/ebar</a>
<b>Contact:</b>	<a href="mailto:ebar-kba@natureserve.ca">ebar-kba@natureserve.ca</a>
<b>Input References:</b>	eBird - <a href="#">eBird Basic Dataset. Version: EBD_relMar-2022. Cornell Lab of Ornithology, Ithaca, New York. Mar 2022. eBird: An online database of bird distribution and abundance [web application]. eBird, Cornell Lab of Ornithology, Ithaca, New York. Available: <a href="http://www.ebird.org">http://www.ebird.org</a></a> iNaturalist.ca - <a href="#">California Academy of Sciences and the National Geographic Society</a> MB Element Occurrences - Manitoba Conservation Data Centre MB Source Feature Polygons - Manitoba Conservation Data Centre NU Element Occurrences - Nunavut Conservation Data Centre NU Source Feature Polygons - Nunavut Conservation Data Centre SK Observation Points - Saskatchewan Conservation Data Centre
<b>Reviewers by Taxa:</b>	<a href="#">Reviewers by Taxa</a>