

# *Synthliboramphus antiquus*



- Present
- Breeding
- Presence Expected
- Possible Breeding
- Historical

## Ecosystem-based Automated Range (EBAR)

Date Generated: August 28, 2023; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None



0 440 880 km

Input Records - 12 BC Breeding Bird Atlas, 19 BC Non-sensitive Element Occurrences, 1 BC Survey Observations, 6597 eBird, 97 iNaturalist.ca; Expert Reviews - BC Experts

Map centre: 96.1319° W 53.4118° N  
 © NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

## Ecosystem-based Automated Range (EBAR) Metadata

---

### Species

National Scientific Name:	<i>Synthliboramphus antiquus</i> (Gmelin, 1789)
Scientific Name Reference:	American Ornithologists' Union (AOU). 1998. Check-list of North American birds. Seventh edition. American Ornithologists' Union, Washington, D.C. [as modified by subsequent supplements and corrections published in <i>The Auk</i> ]. Also available online: <a href="http://www.aou.org/">http://www.aou.org/</a> .
National English Name:	Ancient Murrelet
National French Name:	Guillemot à cou blanc
Element National ID:	163566
Element Global ID:	104121 ( <a href="#">go to NatureServe Explorer</a> )
Element Code:	ABNNN07030
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	43

## Rank/Status

<b>Global Rank:</b>	G4 (reviewed April 10, 2016)
<b>National Rank (Canada):</b>	N2N3B,N4N (reviewed 2023)
<b>Subnational Ranks (Canada):</b>	BC=S2S3B,S4N
<b>National Rank (United States):</b>	N4B,N4N (reviewed 1997)
<b>Subnational Ranks (United States):</b>	AK=S4, CA=SNRN, OR=SNA, WA=S3S4N
<b>National Rank (Mexico):</b>	None
<b>Subnational Ranks (Mexico):</b>	None
<b>Canadian SARA Status:</b>	Special Concern/Préoccupante (August 15, 2006)
<b>Canadian COSEWIC Status:</b>	Special Concern (November 28, 2014)
<b>US ESA Status:</b>	None

## Range Map

<b>Date Generated:</b>	August 28, 2023
<b>Version:</b>	1.0
<b>Stage:</b>	Expert Reviewed (National)
<b>Scope:</b>	Canadian
<b>Metadata:</b>	Primary Species - <i>Synthliboramphus antiquus</i> (Gmelin, 1789) Input Records - 12 BC Breeding Bird Atlas, 19 BC Non-sensitive Element Occurrences, 1 BC Survey Observations, 6597 eBird, 97 iNaturalist.ca; Expert Reviews - BC Experts
<b>Comments:</b>	None <a href="#">Please see spatial data for Ecoshape-level reviewer comments.</a>
<b>Disclaimer:</b>	Please review our <a href="#">methods document</a> before using EBAR.  EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.  The absence of data in any geographic areas does not necessarily mean that a species is not present.  An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
<b>Presence Definitions:</b>	(Please see Comments above for any exceptions)  Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.  Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.  Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).
<b>Usage Type Definitions:</b>	(Please see Comments above for any exceptions)  Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.  Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
<b>Map Projection:</b>	North America Albers Equal Area Conic (WKID 4269)

## Credits

**Suggested Citation:**

NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for *Synthliboramphus antiquus*, Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]

**License:**

Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 ([creativecommons.org/licenses/by/4.0/](https://creativecommons.org/licenses/by/4.0/))

**Project Website:**

[www.natureserve.org/canada/ebar](http://www.natureserve.org/canada/ebar)

**Contact:**

[ebar-kba@natureserve.ca](mailto:ebar-kba@natureserve.ca)

**Input References:**

BC Breeding Bird Atlas - British Columbia Breeding Bird Atlas. 2008. Data accessed from NatureCounts, a node of the Avian Knowledge Network, Birds Canada. Available: <http://www.naturecounts.ca/>.

BC Non-sensitive Element Occurrences - British Columbia Conservation Data Centre

BC Survey Observations - British Columbia Conservation Data Centre

eBird - [eBird Basic Dataset. Version: EBD\\_relMar-2022. Cornell Lab of Ornithology, Ithaca, New York. Mar 2022. eBird: An online database of bird distribution and abundance \[web application\]. eBird, Cornell Lab of Ornithology, Ithaca, New York. Available: <http://www.ebird.org>](#)

iNaturalist.ca - [California Academy of Sciences and the National Geographic Society](#)

**Reviewers by Taxa:**

[Reviewers by Taxa](#)