

Psiloscops flammeolus




- Present
- Presence Expected
- Historical
- Breeding
- Possible Breeding

Ecosystem-based Automated Range (EBAR)

Date Generated: October 23, 2024; Version: 1.0; Stage: BC Expert Reviewed; Scope: Canadian

Synonyms Used: None



0 90 180 km

Input Records - 105 BC Breeding Bird Atlas, 80 BC Non-sensitive Element Occurrences, 1656 BC Survey Observations, 740 eBird, 50 iNaturalist.ca, 13 iNaturalist.ca

(original coordinates for obscured records); Expert Reviews - BC Experts

Map centre: 119.2048° O 50.8182° N

© NatureServe Canada 2026 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	<i>Psiloscoops flammeolus</i> (Kaup, 1853)
Scientific Name Reference:	American Ornithologists' Union (AOU). Chesser, T.R., R.C. Banks, F.K. Barker, C.Cicero, J.L. Dunn, A.W. Kratter, I.J. Lovette, P.C. Rasmussen, J.V. Remsen Jr., J.D.Rising, D.F. Stotz and K.Winker. 2013. Fifty-Fourth Supplement to the American Ornithologists' Union Check-list of North American Birds. Auk 130(3):558-571.
National English Name:	Flammulated Owl
National French Name:	Petit-duc nain
Element National ID:	167249
Element Global ID:	104998 (go to NatureServe Explorer)
Element Code:	ABNSB01020
Endemism Type:	N
Canadian COSEWIC Name:	Otus flammeolus
Canadian COSEWIC ID:	48
English COSEWIC Common Name:	Flammulated Owl
French COSEWIC Common Name:	Petit-duc nain

Rank/Status

Global Rank:	G4 (reviewed April 09, 2016)
National Rank (Canada):	N3B (reviewed 2023)
Subnational Ranks (Canada):	BC=S3B
National Rank (United States):	N4B (reviewed 1997)
Subnational Ranks (United States):	AZ=S4, CA=S2S4, CO=S4, ID=S3B, MT=S3B, NM=S3B,S3N, NN=S4B, NV=S3, OR=S3B, SD=S1B, TX=S3B, UT=S2, WA=S3B, WY=S1B
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	Special Concern/Préoccupante (June 05, 2003)
Canadian COSEWIC Status:	Special Concern
US ESA Status:	None

Range Map

Date Generated:	October 23, 2024
Version:	1.0
Stage:	BC Expert Reviewed
Scope:	Canadian
Metadata:	Primary Species - <i>Psiloscops flammeolus</i> (Kaup, 1853) Input Records - 105 BC Breeding Bird Atlas, 80 BC Non-sensitive Element Occurrences, 1656 BC Survey Observations, 740 eBird, 50 iNaturalist.ca, 13 iNaturalist.ca (original coordinates for obscured records); Expert Reviews - BC Experts
Comments:	This range has been partially reviewed. The following jurisdictions have been reviewed: British Columbia.
Disclaimer:	Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present. An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions) Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion. Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model. Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical.
Usage Type Definitions:	(Please see Comments above for any exceptions) Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion. Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)

Credits

Suggested Citation:

NatureServe Canada, 2026. Ecosystem-based Automated Range (EBAR) for *Psiloscops flammeolus*, Version 1.0, BC Expert Reviewed (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]

License:

Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2026 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/)

Project Website:

www.natureserve.org/canada/ebars

Contact:

ebars-kba@natureserve.ca

Input References:

BC Breeding Bird Atlas - Birds Canada, Canadian Wildlife Service, British Columbia Ministry of Environment, BC Nature, BC Field Ornithologists, Biodiversity Centre for Wildlife Studies, Louisiana Pacific, Pacific Wildlife Foundation, The, and Canadian Wildlife Service. 2026. "British Columbia Breeding Bird Atlas (2008-2012): highest breeding evidence per square". Data accessed from NatureCounts, Birds Canada. 10.71842/h3by-9r85

BC Non-sensitive Element Occurrences - [British Columbia Conservation Data Centre](#)

BC Survey Observations - [British Columbia Conservation Data Centre](#)

eBird - [eBird Basic Dataset. Version: EBD_relMar-2022. Cornell Lab of Ornithology, Ithaca, New York. Mar 2022. eBird: An online database of bird distribution and abundance \[web application\]. eBird, Cornell Lab of Ornithology, Ithaca, New York. Available: <http://www.ebird.org>](#)

iNaturalist.ca - [California Academy of Sciences and the National Geographic Society](#)

iNaturalist.ca (original coordinates for obscured records) - [California Academy of Sciences and the National Geographic Society](#)

Reviewers by Taxa:

[Reviewers by Taxa](#)