

# *Accipiter gentilis laingi*




- Present
- Breeding
- Presence Expected
- Possible Breeding
- Historical

## Ecosystem-based Automated Range (EBAR)

Date Generated: January 6, 2023; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None



0 180 360 km

Input Records - 201 BC Non-sensitive Element Occurrences, 4409 BC Survey Observations, 8 BISON, 5435 ECCCC Critical Habitat, 20 iDigBio, 2 iNaturalist.ca, 1 NCC Endemics Records, 3 VertNet; Expert Reviews - 1 Anonymous

Map centre: 127.1117°W 52.5719°N  
 © NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

## Ecosystem-based Automated Range (EBAR) Metadata

---

### Species

National Scientific Name:	<i>Accipiter gentilis laingi</i> (Taverner, 1940)
Scientific Name Reference:	American Ornithologists' Union (AOU). 1957. The AOU check-list of North American birds, 5th ed. Port City Press, Inc., Baltimore, MD. 691 pp.
National English Name:	Queen Charlotte Goshawk
National French Name:	Autour des palombes de la sous-espèce laingi
Element National ID:	163536
Element Global ID:	105770 ( <a href="#">go to NatureServe Explorer</a> )
Element Code:	ABNKC12062
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	56

## Rank/Status

<b>Global Rank:</b>	G5T2 (reviewed April 06, 2016)
<b>National Rank (Canada):</b>	N2B (reviewed 2018)
<b>Subnational Ranks (Canada):</b>	BC=S2
<b>National Rank (United States):</b>	N2 (reviewed 2000)
<b>Subnational Ranks (United States):</b>	AK=S2
<b>National Rank (Mexico):</b>	None
<b>Subnational Ranks (Mexico):</b>	None
<b>Canadian SARA Status:</b>	Threatened/Menacée (June 05, 2003)
<b>Canadian COSEWIC Status:</b>	Threatened (May 03, 2013)
<b>US ESA Status:</b>	PS:LT

## Range Map

<b>Date Generated:</b>	January 06, 2023
<b>Version:</b>	1.0
<b>Stage:</b>	Expert Reviewed (National)
<b>Scope:</b>	Canadian
<b>Metadata:</b>	Primary Species - <i>Accipiter gentilis laingi</i> (Taverner, 1940) Input Records - 201 BC Non-sensitive Element Occurrences, 4409 BC Survey Observations, 8 BISON, 5435 ECCC Critical Habitat, 20 iDigBio, 2 iNaturalist.ca, 1 NCC Endemics Records, 3 VertNet; Expert Reviews - 1 Anonymous
<b>Comments:</b>	
<b>Disclaimer:</b>	Please review our <a href="#">methods document</a> before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present. An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
<b>Presence Definitions:</b>	(Please see Comments above for any exceptions) Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion. Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model. Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).
<b>Usage Type Definitions:</b>	(Please see Comments above for any exceptions) Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion. Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion. Migration - the species is thought to migrate within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.
<b>Map Projection:</b>	North America Albers Equal Area Conic (WKID 4269)

## Credits

- Suggested Citation:** NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for *Accipiter gentilis laingi*, Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
- License:** Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 ([creativecommons.org/licenses/by/4.0/](https://creativecommons.org/licenses/by/4.0/))
- Project Website:** [www.natureserve.org/canada/ebar](http://www.natureserve.org/canada/ebar)
- Contact:** [ebar-kba@natureserve.ca](mailto:ebar-kba@natureserve.ca)
- Input References:** BC Non-sensitive Element Occurrences - British Columbia Conservation Data Centre  
BC Survey Observations - British Columbia Conservation Data Centre  
BISON - United States Geological Survey (<https://bison.usgs.gov/>)  
ECCC Critical Habitat - Environment and Climate Change Canada (<http://data.ec.gc.ca/data/species/protectrestore/critical-habitat-species-at-risk-canada/>)  
iDigBio - Integrated Digital Biocollection (<https://www.idigbio.org/>)  
iNaturalist.ca - California Academy of Sciences and the National Geographic Society (<https://www.inaturalist.ca/>)  
NCC Endemics Records - Nature Conservancy of Canada  
VertNet - National Science Foundation (<http://vertnet.org/>)
- Reviewers by Taxa:** [Reviewers by Taxa](#)