

Lanius ludovicianus excubitorides




- Present
- Breeding
- Presence Expected
- Possible Breeding
- Historical

Ecosystem-based Automated Range (EBAR)

Date Generated: November 6, 2025; Version: 1.0; Stage: Expert Reviewed (Partially Reviewed - National); Scope: Canadian

Synonyms Used: None



0 100 200 km

Input Records - 57 ECCC Critical Habitat (2024), 3 iNaturalist.ca (2021-2022), 56 MB Element Occurrences (1938-2021), 149 MB Source Feature Points (2002-2019), 1062 MB Source Feature Polygons (1938-2024), 235 SK Element Occurrences (1995-2024), 68 SK Observation Points (1913-2022), 2 SK Source Feature Lines (2003), 569 SK Source Feature Points (2001-2023), 2325 SK Source Feature Polygons (1995-2023); Expert Reviews - Rebecca Magnus, Colin Murray

Map centre: 105.5449°O 51.3799°N

© NatureServe Canada 2026 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	<i>Lanius ludovicianus excubitorides</i> Swainson, 1832
Scientific Name Reference:	American Ornithologists' Union (AOU). 1957. The AOU check-list of North American birds, 5th ed. Port City Press, Inc., Baltimore, MD. 691 pp.
National English Name:	Loggerhead Shrike Prairie subspecies
National French Name:	Pie-grièche migratrice excubitorides
Element National ID:	164935
Element Global ID:	106261 (go to NatureServe Explorer)
Element Code:	ABPBR01032
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	38
English COSEWIC Common Name:	Loggerhead Shrike Prairie subspecies
French COSEWIC Common Name:	Pie-grièche migratrice de la sous-espèce des Prairies

Rank/Status

Global Rank:	G4T4 (reviewed April 09, 2016)
National Rank (Canada):	N3B (reviewed 2011)
Subnational Ranks (Canada):	AB=S3B, MB=S1B, SK=S3B
National Rank (United States):	None
Subnational Ranks (United States):	None
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	Threatened/Menacée (July 14, 2005)
Canadian COSEWIC Status:	Threatened
US ESA Status:	None

Range Map

Date Generated:	November 06, 2025
Version:	1.0
Stage:	Expert Reviewed (Partially Reviewed - National)
Scope:	Canadian
Metadata:	Primary Species - <i>Lanius ludovicianus excubitorides</i> Swainson, 1832 Input Records - 57 ECCC Critical Habitat (2024), 3 iNaturalist.ca (2021-2022), 56 MB Element Occurrences (1938-2021), 149 MB Source Feature Points (2002-2019), 1062 MB Source Feature Polygons (1938-2024), 235 SK Element Occurrences (1995-2024), 68 SK Observation Points (1913-2022), 2 SK Source Feature Lines (2003), 569 SK Source Feature Points (2001-2023), 2325 SK Source Feature Polygons (1995-2023); Expert Reviews - Rebecca Magnus, Colin Murray
Comments:	This range has been partially reviewed.
Disclaimer:	Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present. An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions) Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion. Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model. Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical.
Usage Type Definitions:	(Please see Comments above for any exceptions) Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion. Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)

Credits

Suggested Citation:	NatureServe Canada, 2026. Ecosystem-based Automated Range (EBAR) for <i>Lanius ludovicianus excubitorides</i> , Version 1.0, Expert Reviewed (Partially Reviewed - National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
License:	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2026 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/)
Project Website:	www.natureserve.org/canada/ebar
Contact:	ebbar-kba@natureserve.ca
Input References:	ECCC Critical Habitat - Environment and Climate Change Canada iNaturalist.ca - California Academy of Sciences and the National Geographic Society MB Element Occurrences - Manitoba Conservation Data Centre MB Source Feature Points - Manitoba Conservation Data Centre MB Source Feature Polygons - Manitoba Conservation Data Centre SK Element Occurrences - Saskatchewan Conservation Data Centre SK Observation Points - Saskatchewan Conservation Data Centre SK Source Feature Lines - Saskatchewan Conservation Data Centre SK Source Feature Points - Saskatchewan Conservation Data Centre SK Source Feature Polygons - Saskatchewan Conservation Data Centre
Reviewers by Taxa:	Reviewers by Taxa