

Erora laeta




- Present
- Presence Expected
- Historical

Ecosystem-based Automated Range (EBAR)

Date Generated: May 1, 2024; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None



0 140 280 km Input Records - 22 ACCDC Observations, 6 BISON, 2 Canadian National Collection of Insects, Arachnids, and Nematodes (Taxonia export), 149 GBIF, 12 iNaturalist.ca, 14 iNaturalist.ca (original coordinates for obscured records), 10 iNaturalist.org, 4 ON Element Occurrences, 19 ON Observations and Source Features; Expert Reviews - John Klymko, John Klymko, Érik Plante

Map centre: 71.705° W 45.3405° N
© NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	<i>Erora laeta</i> (Edwards, 1862)
Scientific Name Reference:	Pohl, G.R. J-F. Landry, B.C. Schmidt, J.D. Lafontaine, J.T. Troubridge, A.D. Macaulay, E. van Nieukerken, J.R. deWaard, J.J. Dombroskie, J. Klymko, V. Nazari and K. Stead. 2018. Annotated checklist of the moths and butterflies (Lepidoptera) of Canada and Alaska. Pensoft Publishers. 580 pp.
National English Name:	Early Hairstreak
National French Name:	Lutin mystérieux
Element National ID:	179080
Element Global ID:	108682 (go to NatureServe Explorer)
Element Code:	IILEPF3010
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	

Rank/Status

Global Rank:	G2G3 (reviewed March 28, 2020)
National Rank (Canada):	N2N3 (reviewed 2017)
Subnational Ranks (Canada):	NB=S1, NS=S1, ON=S2, PE=SH, QC=S4
National Rank (United States):	N3N4 (reviewed 2001)
Subnational Ranks (United States):	GA=S1S2, KY=S1, MA=S2, MD=S1, ME=S4?, MI=S1, NC=S2S3, NH=SU, NJ=SNR, NY=S4, OH=SNR, PA=S1S2, TN=S2, VA=S2, VT=S2, WI=SU, WV=S2
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	None
Canadian COSEWIC Status:	None
US ESA Status:	None

Range Map

Date Generated:	May 01, 2024
Version:	1.0
Stage:	Expert Reviewed (National)
Scope:	Canadian
Metadata:	Primary Species - <i>Erora laeta</i> (Edwards, 1862) Input Records - 22 ACCDC Observations, 6 BISON, 2 Canadian National Collection of Insects, Arachnids, and Nematodes (Taxonia export), 149 GBIF, 12 iNaturalist.ca, 14 iNaturalist.ca (original coordinates for obscured records), 10 iNaturalist.org, 4 ON Element Occurrences, 19 ON Observations and Source Features; Expert Reviews - John Klymko, John Klymko, Erik Plante
Comments:	None Please see spatial data for Ecoshape-level reviewer comments.
Disclaimer:	Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present. An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions) Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion. Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model. Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).
Usage Type Definitions:	(Please see Comments above for any exceptions) Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion. Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)

Credits

Suggested Citation:	NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for <i>Erora laeta</i> , Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
License:	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/)
Project Website:	www.natureserve.org/canada/ebar
Contact:	ebar-kba@natureserve.ca
Input References:	ACDC Observations - Atlantic Canada Conservation Data Centre BISON - United States Geological Survey Canadian National Collection of Insects, Arachnids, and Nematodes (Taxonia export) - Canadian National Collection Taxonia Database, Schmidt and Jaeger, pers. comm. GBIF - Global Biodiversity Information Facility iNaturalist.ca - California Academy of Sciences and the National Geographic Society iNaturalist.ca (original coordinates for obscured records) - California Academy of Sciences and the National Geographic Society iNaturalist.org - California Academy of Sciences and the National Geographic Society ON Element Occurrences - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry ON Observations and Source Features - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry
Reviewers by Taxa:	Reviewers by Taxa