

# Platylomella lescurii




- Present
- Presence Expected
- Historical

## Ecosystem-based Automated Range (EBAR)

Date Generated: March 11, 2025; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: Sciaromium lescurii



0 140 280 km

Input Records - 27 ACCDC Observations, 7 BISON, 58 GBIF, 5 iDigBio, 12 iNaturalist.ca, 8 QC Element Occurrences; Expert Reviews - Nicole Fenton, Scott Schuette, Cassandra Robillard

Map centre: 70.8659°W 46.4188°N  
© NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

## Ecosystem-based Automated Range (EBAR) Metadata

---

### Species

National Scientific Name:	<i>Platylomella lescurii</i> (Sull. in Gray) Andrews
Scientific Name Reference:	Flora of North America Editorial Committee (FNA). 2014a. Flora of North America north of Mexico. Vol. 28. Bryophytes: Mosses, part 2. Oxford Univ. Press, New York. vii + 702 pp.
National English Name:	Bordered Brook Moss
National French Name:	
Element National ID:	187535
Element Global ID:	125390 ( <a href="#">go to NatureServe Explorer</a> )
Element Code:	NBMUS9X010
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	

## Rank/Status

Global Rank:	G5 (reviewed May 01, 1991)
National Rank (Canada):	N2 (reviewed 2024)
Subnational Ranks (Canada):	NB=S1?, NF=SU, NS=S2?, ON=S2, QC=S1
National Rank (United States):	NNR
Subnational Ranks (United States):	AL=SNR, AR=SNR, CT=SNR, DE=SH, FL=SNR, GA=SNR, IL=SNR, IN=SNR, KY=SNR, LA=SNR, MA=SNR, MD=SNR, ME=SNR, MI=SNR, MO=S2, NC=SNR, NH=SNR, NJ=SNR, NY=SNR, OK=SNR, PA=S3, SC=SNR, TN=S4, TX=SNR, VA=SNR, VT=SH, WV=SNR
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	None
Canadian COSEWIC Status:	None
US ESA Status:	None

## Range Map

Date Generated:	March 11, 2025
Version:	1.0
Stage:	Expert Reviewed (National)
Scope:	Canadian
Metadata:	Primary Species - <i>Platylomella lescurii</i> (Sull. in Gray) Andrews; Synonyms - <i>Sciaromium lescurii</i> (Sull. in Gray) Broth. Input Records - 27 ACCDC Observations, 7 BISON, 58 GBIF, 5 iDigBio, 12 iNaturalist.ca, 8 QC Element Occurrences; Expert Reviews - Nicole Fenton, Scott Schuette, Cassandra Robillard
Comments:	None <a href="#">Please see spatial data for Ecoshape-level reviewer comments.</a>
Disclaimer:	Please review our <a href="#">methods document</a> before using EBAR.  EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.  The absence of data in any geographic areas does not necessarily mean that a species is not present.  An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions)  Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.  Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.  Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical.
Usage Type Definitions:	(Please see Comments above for any exceptions)  Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.  Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)

## Credits

Suggested Citation:	NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for <i>Platylomella lescurii</i> , Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
License:	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2024 under CC BY 4.0 ( <a href="https://creativecommons.org/licenses/by/4.0/">creativecommons.org/licenses/by/4.0/</a> )
Project Website:	<a href="http://www.natureserve.org/canada/ebars">www.natureserve.org/canada/ebars</a>
Contact:	<a href="mailto:ebars-kba@natureserve.ca">ebars-kba@natureserve.ca</a>
Input References:	ACCDC Observations - Atlantic Canada Conservation Data Centre BISON - <a href="#">United States Geological Survey</a> GBIF - <a href="#">Global Biodiversity Information Facility</a> GBIF - <a href="https://doi.org/10.15468/dl.e3ax32">GBIF Occurrence Download https://doi.org/10.15468/dl.e3ax32</a> Accessed from R via rgbif ( <a href="https://github.com/ropensci/rgbif">https://github.com/ropensci/rgbif</a> ) on 2024-06-21 GBIF - <a href="#">GBIF.org</a> (29 June 2023) <a href="https://doi.org/10.15468/dl.ync22y">GBIF Occurrence Download https://doi.org/10.15468/dl.ync22y</a> iDigBio - <a href="#">Integrated Digital Biocollection</a> iNaturalist.ca - <a href="#">California Academy of Sciences and the National Geographic Society</a> QC Element Occurrences - Centre de Données sur le Patrimoine Naturel du Québec
Reviewers by Taxa:	<a href="#">Reviewers by Taxa</a>