

Carex meadii




- Present
- Presence Expected
- Historical

Ecosystem-based Automated Range (EBAR)

Date Generated: March 25, 2025; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None



0 160 320 km Input Records - 6 GBIF, 21 iNaturalist.ca, 4 iNaturalist.ca (original coordinates for obscured records), 14 ON Element Occurrences, 129 ON Observations and Source Features, 2 WIN Vascular Plant Herbarium; Expert Reviews - Diana Sawatzky, Wasyl Bakowsky

Map centre: 88.3972° W 46.2127° N
© NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Ecosystem-based Automated Range (EBAR) Metadata

Species

| | |
|----------------------------|---|
| National Scientific Name: | <i>Carex meadii</i> Dewey |
| Scientific Name Reference: | Flora of North America Editorial Committee (FNA). 2002b. Flora of North America north of Mexico. Vol. 23. Magnoliophyta: Commelinidae (in part): Cyperaceae. Oxford Univ. Press, New York. xxiv + 608 pp. |
| National English Name: | Mead's Sedge |
| National French Name: | Carex de Mead |
| Element National ID: | 195281 |
| Element Global ID: | 129239 (go to NatureServe Explorer) |
| Element Code: | PMCYP03870 |
| Endemism Type: | N |
| Canadian COSEWIC Name: | |
| Canadian COSEWIC ID: | |

Rank/Status

| | |
|------------------------------------|--|
| Global Rank: | G5 (reviewed July 02, 2024) |
| National Rank (Canada): | N2 (reviewed 2023) |
| Subnational Ranks (Canada): | MB=S1?, ON=S2 |
| National Rank (United States): | N5 (reviewed 2024) |
| Subnational Ranks (United States): | AL=SNR, AR=S4, AZ=S1, DE=S1.1, GA=S1, IA=S4, IL=S3?, IN=SNR, KS=S5, KY=S4?, LA=S3, MD=S1, MI=SNR, MN=SNR, MO=SNR, MS=S3S4, NC=S1, ND=SNR, NE=SNR, NJ=S1, NY=SH, OH=SNR, OK=SNR, PA=S2, RI=SNR, SC=S1, SD=SNR, TN=SNR, TX=SNR, VA=S3, WI=SNR, WV=S1 |
| National Rank (Mexico): | None |
| Subnational Ranks (Mexico): | None |
| Canadian SARA Status: | None |
| Canadian COSEWIC Status: | None |
| US ESA Status: | None |

Range Map

| | |
|-------------------------|---|
| Date Generated: | March 25, 2025 |
| Version: | 1.0 |
| Stage: | Expert Reviewed (National) |
| Scope: | Canadian |
| Metadata: | Primary Species - <i>Carex meadii</i> Dewey Input Records - 6 GBIF, 21 iNaturalist.ca, 4 iNaturalist.ca (original coordinates for obscured records), 14 ON Element Occurrences, 129 ON Observations and Source Features, 2 WIN Vascular Plant Herbarium; Expert Reviews - Diana Sawatzky, Wasyl Bakowsky |
| Comments: | None Please see spatial data for Ecoshape-level reviewer comments. |
| Disclaimer: | Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present. An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area. |
| Presence Definitions: | (Please see Comments above for any exceptions) Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion. Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model. Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical. |
| Usage Type Definitions: | (Please see Comments above for any exceptions) Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion. Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion. |
| Map Projection: | North America Albers Equal Area Conic (WKID 4269) |

Credits

| | |
|---------------------|--|
| Suggested Citation: | NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for <i>Carex meadii</i> , Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date] |
| License: | Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2024 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/) |
| Project Website: | www.natureserve.org/canada/ebar |
| Contact: | ebbar-kba@natureserve.ca |
| Input References: | <p>GBIF - Global Biodiversity Information Facility</p> <p>GBIF - GBIF Occurrence Download https://doi.org/10.15468/dl.e3ax32 Accessed from R via rgbif (https://github.com/ropensci/rgbif) on 2024-06-21</p> <p>iNaturalist.ca - California Academy of Sciences and the National Geographic Society</p> <p>iNaturalist.ca (original coordinates for obscured records) - California Academy of Sciences and the National Geographic Society</p> <p>ON Element Occurrences - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry</p> <p>ON Observations and Source Features - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry</p> <p>WIN Vascular Plant Herbarium - Diana Sawatzky, Assistant Curator, WIN Herbarium, Department of Biological Sciences, University of Manitoba</p> |
| Reviewers by Taxa: | Reviewers by Taxa |