

# *Cirsium pitcheri*




- Present
- Presence Expected
- Historical

## Ecosystem-based Automated Range (EBAR)

Date Generated: February 27, 2023; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None



0 125 250 km  
Map centre: 83.188°W 45.4485°N  
© NatureServe Canada 2020 under CC BY 4.0

Input Records - 8 BISON, 70 GBIF, 140 iNaturalist.ca, 12 iNaturalist.org, 23 NCC Endemics Records, 46 NCC GBIF Download, 40 ON Element Occurrences, 2910 ON Observations and Source Features, 646 ON Observations not in Biotics; Expert Reviews - Kevin Doyle, Wasyl Bakowsky, 2 Anonymous

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

## Ecosystem-based Automated Range (EBAR) Metadata

---

### Species

National Scientific Name:	<i>Cirsium pitcheri</i> (Torr. ex Eat.) Torr. & Gray
Scientific Name Reference:	Flora of North America Editorial Committee. 2006a. Flora of North America North of Mexico. Vol. 19. Magnoliophyta: Asteridae, part 6: Asteraceae, part 1. Oxford University Press, New York. xxiv + 579 pp.
National English Name:	Pitcher's Thistle
National French Name:	Chardon de Pitcher
Element National ID:	233476
Element Global ID:	130152 ( <a href="#">go to NatureServe Explorer</a> )
Element Code:	PDAST2E2A0
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	225

## Rank/Status

Global Rank:	G3 (reviewed March 23, 2020)
National Rank (Canada):	N2 (reviewed 2017)
Subnational Ranks (Canada):	ON=S2
National Rank (United States):	N3 (reviewed 2020)
Subnational Ranks (United States):	IL=S1, IN=S1, MI=S3, WI=S2
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	Special Concern/Préoccupante (June 05, 2003)
Canadian COSEWIC Status:	Special Concern (November 26, 2010)
US ESA Status:	None

## Range Map

Date Generated:	February 27, 2023
Version:	1.0
Stage:	Expert Reviewed (National)
Scope:	Canadian
Metadata:	Primary Species - <i>Cirsium pitcheri</i> (Torr. ex Eat.) Torr. & Gray Input Records - 8 BISON, 70 GBIF, 140 iNaturalist.ca, 12 iNaturalist.org, 23 NCC Endemics Records, 46 NCC GBIF Download, 40 ON Element Occurrences, 2910 ON Observations and Source Features, 646 ON Observations not in Biotics; Expert Reviews - Kevin Doyle, Wasyl Bakowsky, 2 Anonymous
Comments:	None <a href="#">Please see spatial data for Ecoshape-level reviewer comments.</a>
Disclaimer:	Please review our <a href="#">methods document</a> before using EBAR.  EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.  The absence of data in any geographic areas does not necessarily mean that a species is not present.  An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions)  Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.  Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.  Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).
Usage Type Definitions:	(Please see Comments above for any exceptions)  Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.  Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)

## Credits

<b>Suggested Citation:</b>	NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for <i>Cirsium pitcheri</i> , Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
<b>License:</b>	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 ( <a href="https://creativecommons.org/licenses/by/4.0/">creativecommons.org/licenses/by/4.0/</a> )
<b>Project Website:</b>	<a href="http://www.natureserve.org/canada/ebar">www.natureserve.org/canada/ebar</a>
<b>Contact:</b>	<a href="mailto:ebbar-kba@natureserve.ca">ebbar-kba@natureserve.ca</a>
<b>Input References:</b>	<p>BISON - United States Geological Survey (<a href="https://bison.usgs.gov/">https://bison.usgs.gov/</a>)</p> <p>GBIF - Global Biodiversity Information Facility (<a href="https://www.gbif.org">https://www.gbif.org</a>)</p> <p>iNaturalist.ca - California Academy of Sciences and the National Geographic Society (<a href="https://www.inaturalist.ca/">https://www.inaturalist.ca/</a>)</p> <p>iNaturalist.org - California Academy of Sciences and the National Geographic Society (<a href="https://www.inaturalist.org/">https://www.inaturalist.org/</a>)</p> <p>NCC Endemics Records - Nature Conservancy of Canada</p> <p>NCC GBIF Download - Nature Conservancy of Canada</p> <p>ON Element Occurrences - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry</p> <p>ON Observations and Source Features - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry</p> <p>ON Observations not in Biotics - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry</p>
<b>Reviewers by Taxa:</b>	<a href="#">Reviewers by Taxa</a>