

Krigia biflora




Ecosystem-based Automated Range (EBAR)

Date Generated: March 11, 2024; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None

- Present
- Presence Expected
- Historical



0 180 360 km

Input Records - 5 BISON, 48 GBIF, 27 iNaturalist.ca, 1 iNaturalist.ca (original coordinates for obscured records), 16 iNaturalist.org, 3 Manitoba Museum, 20 MB Element Occurrences, 3 MB Source Feature Lines, 294 MB Source Feature Points, 1853 MB Source Feature Polygons, 15 ON Element Occurrences, 113 ON Observations and Source Features, 4 WIN Vascular Plant Herbarium; Expert Reviews - Diana Sawatzky, Wasyl Bakowsky

Map centre: 88.5365° W 46.8574° N
 © NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	<i>Krigia biflora</i> (Walt.) Blake
Scientific Name Reference:	Kartesz, J.T. 1994. A synonymized checklist of the vascular flora of the United States, Canada, and Greenland. 2nd edition. 2 vols. Timber Press, Portland, OR.
National English Name:	Two-flowered Dwarf-dandelion
National French Name:	Krigie à deux fleurs
Element National ID:	241587
Element Global ID:	138036 (go to NatureServe Explorer)
Element Code:	PDAST5D010
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	

Rank/Status

Global Rank:	G5 (reviewed March 23, 2006)
National Rank (Canada):	N2N3 (reviewed 2023)
Subnational Ranks (Canada):	MB=S2S3, ON=S2
National Rank (United States):	N5?
Subnational Ranks (United States):	AL=SNR, AR=SNR, AZ=SNR, CO=S2, CT=S1, DE=SH, GA=SNR, IA=S4, IL=SNR, IN=SNR, KS=S1, KY=S5, MA=SNR, MI=SNR, MN=SNR, MO=SNR, MS=SNR, NC=S2?, NJ=SNR, NM=SNR, NY=S4, OH=SNR, OK=SNR, PA=S5, TN=SNR, VA=S4, WI=SNR, WV=S5
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	None
Canadian COSEWIC Status:	None
US ESA Status:	None

Range Map

Date Generated:	March 11, 2024
Version:	1.0
Stage:	Expert Reviewed (National)
Scope:	Canadian
Metadata:	Primary Species - <i>Krigia biflora</i> (Walt.) Blake Input Records - 5 BISON, 48 GBIF, 27 iNaturalist.ca, 1 iNaturalist.ca (original coordinates for obscured records), 16 iNaturalist.org, 3 Manitoba Museum, 20 MB Element Occurrences, 3 MB Source Feature Lines, 294 MB Source Feature Points, 1853 MB Source Feature Polygons, 15 ON Element Occurrences, 113 ON Observations and Source Features, 4 WIN Vascular Plant Herbarium; Expert Reviews - Diana Sawatzky, Wasyl Bakowsky
Comments:	None Please see spatial data for Ecoshape-level reviewer comments.
Disclaimer:	Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present.

An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.

Presence Definitions:

(Please see Comments above for any exceptions)

Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.

Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.

Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).

Usage Type Definitions:

(Please see Comments above for any exceptions)

Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.

Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.

Map Projection:

North America Albers Equal Area Conic (WKID 4269)

Credits

Suggested Citation:	NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for <i>Krigia biflora</i> , Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
License:	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/)
Project Website:	www.natureserve.org/canada/ebar
Contact:	ebar-kba@natureserve.ca
Input References:	BISON - United States Geological Survey GBIF - Global Biodiversity Information Facility iNaturalist.ca - California Academy of Sciences and the National Geographic Society iNaturalist.ca (original coordinates for obscured records) - California Academy of Sciences and the National Geographic Society iNaturalist.org - California Academy of Sciences and the National Geographic Society Manitoba Museum - Manitoba Museum, Natural History, Botany Collection. Winnipeg, Manitoba. MB Element Occurrences - Manitoba Conservation Data Centre MB Source Feature Lines - Manitoba Conservation Data Centre MB Source Feature Points - Manitoba Conservation Data Centre MB Source Feature Polygons - Manitoba Conservation Data Centre ON Element Occurrences - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry ON Observations and Source Features - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry WIN Vascular Plant Herbarium - Diana Sawatsky, Assistant Curator, WIN Herbarium, Department of Biological Sciences, University of Manitoba
Reviewers by Taxa:	Reviewers by Taxa