
Podistera yukonensis






Ecosystem-based Automated Range (EBAR)

Historical

Date Generated: March 19, 2024; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None



 0
 100
 200 km
 Input Records - 25 BISON, 107 GBIF, 6 iDigBio, 33 iNaturalist.ca, 1 iNaturalist.ca (original coordinates for obscured records), 2 iNaturalist.org, 2 US Element

 1
 1
 Occurrences, 27 YT Element Occurrences, 40 YT Source Feature Points, 41 YT Source Feature Polygons; Expert Reviews - Syd Cannings

Map centre: 138.3316° W 63.1771° N

© NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.



Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	Podistera yukonensis Mathias & Constance
Scientific Name Reference:	Kartesz, J.T. 1999. A synonymized checklist and atlas with biological attributes for the vascular flora of the United States, Canada, and Greenland. First edition. In: Kartesz, J.T., and C.A. Meacham. Synthesis of the North American Flora, Version 1.0. North Carolina Botanical Garden, Chapel Hill, N.C.
National English Name:	Yukon Podistera
National French Name:	Podistère du Yukon
Element National ID:	199164
Element Global ID:	144355 (<u>go to NatureServe Explorer</u>)
Element Code:	PDAPI1T040
Endemism Type:	Ν
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	1268

Rank/Status

Global Rank:	G3G4 (reviewed September 30, 2014)
National Rank (Canada):	N3N4 (reviewed 2022)
Subnational Ranks (Canada):	YT=S3S4
National Rank (United States):	N1N2
Subnational Ranks (United States):	AK=S1S2
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	Special Concern/Préoccupante (February 25, 2019)
Canadian COSEWIC Status:	Special Concern (November 28, 2014)
US ESA Status:	None

Range Map

Date Generated:	March 19, 2024
Version:	1.0
Stage:	Expert Reviewed (National)
Scope:	Canadian
Metadata:	Primary Species - <i>Podistera yukonensis</i> Mathias & Constance Input Records - 25 BISON, 107 GBIF, 6 iDigBio, 33 iNaturalist.ca, 1 iNaturalist.ca (original coordinates for obscured records), 2 iNaturalist.org, 2 US Element Occurrences, 27 YT Element Occurrences, 40 YT Source Feature Points, 41 YT Source Feature Polygons; Expert Reviews - Syd Cannings
Comments:	None Diassa saa saatial data far Esesbana laval raviewar sammants
Disalaiman	<u>Please see spatial data for Ecoshape-level reviewer comments</u> .
Disclaimer:	Please review our <u>methods document</u> before using EBAR.
	EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.
	The absence of data in any geographic areas does not necessarily mean that a species is not present.
	An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions)
	Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.
	Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.
	Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).
Usage Type Definitions:	(Please see Comments above for any exceptions)
	Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.
	Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)

Credits	
Suggested Citation:	NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for Podistera yukonensis, Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
License:	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 (<u>creativecommons.org/licenses/by/4.0/</u>)
Project Website:	www.natureserve.org/canada/ebar
Contact:	ebar-kba@natureserve.ca
Input References:	 BISON - <u>United States Geological Survey</u> GBIF - <u>Global Biodiversity Information Facility</u> iDigBio - <u>Integrated Digital Biocollection</u> iNaturalist.ca - <u>California Academy of Sciences and the National Geographic Society</u> iNaturalist.ca (original coordinates for obscured records) - <u>California Academy of Sciences and the National Geographic Society</u> iNaturalist.org - <u>California Academy of Sciences and the National Geographic Society</u> US Element Occurrences - NatureServe and its Natural Heritage Programs YT Element Occurrences - Yukon Conservation Data Centre YT Source Feature Polygons - Yukon Conservation Data Centre YT Source Feature Polygons - Yukon Conservation Data Centre
Reviewers by Taxa:	Reviewers by Taxa