

Epilobium densiflorum



- Present
- Presence Expected
- Historical

Ecosystem-based Automated Range (EBAR)

Date Generated: February 2, 2022; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None



0 40 80 km

Input Records - 2 BC Incidental Observations, 13 BC Non-sensitive Element Occurrences, 22 BC Vascular Plant Observations, 8 BISON, 3 ECCC Critical Habitat, 40

GBIF, 8 iNaturalist.ca, 8 iNaturalist.org; Expert Reviews - James Miskelly

Map centre: 124.2249°W 49.32°N

© NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Ecosystem-based Automated Range (EBAR) Metadata

Species

| | |
|----------------------------|--|
| National Scientific Name: | <i>Epilobium densiflorum</i> (Lindley) P. Hoch & Raven |
| Scientific Name Reference: | Flora of North America Editorial Committee. 2021. Flora of North America North of Mexico. Vol. 10. Magnoliophyta: Proteaceae to Elaeagnaceae. Oxford Univ. Press, New York. xxiv + 456 pp. |
| National English Name: | Dense Spike-primrose |
| National French Name: | Épilobe densiflore |
| Element National ID: | 213603 |
| Element Global ID: | 153786 (go to NatureServe Explorer) |
| Element Code: | PDONA01020 |
| Endemism Type: | N |
| Canadian COSEWIC Name: | |
| Canadian COSEWIC ID: | 849 |

Rank/Status

| | |
|------------------------------------|---|
| Global Rank: | G5 (reviewed August 01, 1988) |
| National Rank (Canada): | N2 (reviewed 2023) |
| Subnational Ranks (Canada): | BC=S2 |
| National Rank (United States): | NNR |
| Subnational Ranks (United States): | AZ=SNR, CA=SNR, ID=SNR, MT=SH, NV=S3, OR=SNR, UT=S1, WA=SNR |
| National Rank (Mexico): | None |
| Subnational Ranks (Mexico): | None |
| Canadian SARA Status: | Endangered/En voie de disparition (August 15, 2006) |
| Canadian COSEWIC Status: | Endangered (May 05, 2005) |
| US ESA Status: | None |

Range Map

| | |
|-------------------------|---|
| Date Generated: | February 02, 2022 |
| Version: | 1.0 |
| Stage: | Expert Reviewed (National) |
| Scope: | Canadian |
| Metadata: | Primary Species Name - <i>Epilobium densiflorum</i> (Lindley) P. Hoch & Raven Input Records - 2 BC Incidental Observations, 13 BC Non-sensitive Element Occurrences, 22 BC Vascular Plant Observations, 8 BISON, 3 ECCC Critical Habitat, 40 GBIF, 8 iNaturalist.ca, 8 iNaturalist.org; Expert Reviews - James Miskelly |
| Comments: | None Please see spatial data for Ecoshape-level reviewer comments. |
| Disclaimer: | Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present. An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area. |
| Presence Definitions: | (Please see Comments above for any exceptions) Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion. Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model. Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?). |
| Usage Type Definitions: | (Please see Comments above for any exceptions) Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion. Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion. |
| Map Projection: | North America Albers Equal Area Conic (WKID 4269) |

Credits

| | |
|----------------------------|--|
| Suggested Citation: | NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for <i>Epilobium densiflorum</i> , Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date] |
| License: | Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/) |
| Project Website: | www.natureserve.org/canada/ebar |
| Contact: | ebbar-kba@natureserve.ca |
| Input References: | BC Non-sensitive Element Occurrences - British Columbia Conservation Data Centre BC UNVETTED Incidental Observations - British Columbia Conservation Data Centre BC Vascular Plant Observations - British Columbia Conservation Data Centre BISON - United States Geological Survey ECCC Critical Habitat - Environment and Climate Change Canada GBIF - Global Biodiversity Information Facility iNaturalist.ca - California Academy of Sciences and the National Geographic Society iNaturalist.ca (original coordinates for obscured records) - California Academy of Sciences and the National Geographic Society iNaturalist.org - California Academy of Sciences and the National Geographic Society |
| Reviewers by Taxa: | Reviewers by Taxa |