

Baccharis halimifolia




Ecosystem-based Automated Range (EBAR)

- Present
- Presence Expected
- Historical

Date Generated: December 19, 2022; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None



0 5.5 11 km

Map centre: 65.949°W 43.7658°N
© NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Input Records - 176 ACCDC Observations, 7 GBIF, 9 iNaturalist.ca, 3 iNaturalist.org; Expert Reviews - Sean Blaney

Ecosystem-based Automated Range (EBAR) Metadata

Species

| | |
|----------------------------|--|
| National Scientific Name: | <i>Baccharis halimifolia</i> L. |
| Scientific Name Reference: | Flora of North America Editorial Committee. 2006b. Flora of North America North of Mexico. Vol. 20. Magnoliophyta: Asteridae, part 7: Asteraceae, part 2. Oxford Univ. Press, New York. xxii + 666 pp. |
| National English Name: | Eastern Baccharis |
| National French Name: | Baccharis à feuilles d'arroche |
| Element National ID: | 740864 |
| Element Global ID: | 154061 (go to NatureServe Explorer) |
| Element Code: | PDASTOW090 |
| Endemism Type: | N |
| Canadian COSEWIC Name: | |
| Canadian COSEWIC ID: | 1170 |

Rank/Status

| | |
|------------------------------------|--|
| Global Rank: | G5 (reviewed February 09, 1984) |
| National Rank (Canada): | N2 (reviewed 2022) |
| Subnational Ranks (Canada): | NS=S2 |
| National Rank (United States): | N5 |
| Subnational Ranks (United States): | AL=SNR, AR=SNR, CT=SNR, DC=SNR, DE=S5, FL=SNR, GA=SNR, KY=SNA, LA=SNR, MA=SNR, MD=SNR, MS=SNR, NC=S5, NJ=S5, NY=S5, OK=SNR, PA=SNA, RI=S2, SC=SNR, TX=SNR, VA=S5 |
| National Rank (Mexico): | None |
| Subnational Ranks (Mexico): | None |
| Canadian SARA Status: | Threatened/Menacée (June 02, 2017) |
| Canadian COSEWIC Status: | Threatened (November 25, 2011) |
| US ESA Status: | None |

Range Map

| | |
|-------------------------|--|
| Date Generated: | December 19, 2022 |
| Version: | 1.0 |
| Stage: | Expert Reviewed (National) |
| Scope: | Canadian |
| Metadata: | Primary Species - <i>Baccharis halimifolia</i> L. Input Records - 176 ACCDC Observations, 7 GBIF, 9 iNaturalist.ca, 3 iNaturalist.org; Expert Reviews - Sean Blaney |
| Comments: | |
| Disclaimer: | <p>Please review our methods document before using EBAR.</p> <p>EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.</p> <p>The absence of data in any geographic areas does not necessarily mean that a species is not present.</p> <p>An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.</p> |
| Presence Definitions: | <p>(Please see Comments above for any exceptions)</p> <p>Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.</p> <p>Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.</p> <p>Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).</p> |
| Usage Type Definitions: | <p>(Please see Comments above for any exceptions)</p> <p>Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.</p> <p>Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.</p> <p>Migration - the species is thought to migrate within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.</p> |
| Map Projection: | North America Albers Equal Area Conic (WKID 4269) |

Credits

Suggested Citation:

NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for *Baccharis halimifolia*, Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]

License:

Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/)

Project Website:

www.natureserve.org/canada/ebars

Contact:

ebars-kba@natureserve.ca

Input References:

ACCDC Observations - Atlantic Canada Conservation Data Centre

GBIF - Global Biodiversity Information Facility (<https://www.gbif.org>)

iNaturalist.ca - California Academy of Sciences and the National Geographic Society (<https://www.inaturalist.ca/>)

iNaturalist.org - California Academy of Sciences and the National Geographic Society (<https://www.inaturalist.org/>)

Reviewers by Taxa:

[Reviewers by Taxa](#)