

# *Erigeron lackschewitzii*



## Ecosystem-based Automated Range (EBAR)


Date Generated: March 24, 2023; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None


Present

Presence Expected

Historical



Sources: Esri, Airbus DS, USGS, NGA, NASA, CGIAR, N Robinson, NCEAS, NLS, OS, NMA, Geodatastoreisen, Rijkswaterstaat, GSA, Geoland, FEMA, Intermap and the GIS user community, Sources: Esri, HERE, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community



Input Records - 7 AB Element Occurrences, 8 AB Source Feature Polygons, 1 BISON, 6 GBIF, 1 iNaturalist.ca; Expert Reviews - Varina Crisfield

Map centre: 116.8578°W 51.7587°N  
© NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

## Ecosystem-based Automated Range (EBAR) Metadata

---

### Species

National Scientific Name:	<i>Erigeron lackschewitzii</i> Nesom & W.A. Weber
Scientific Name Reference:	Kartesz, J.T. 1999. A synonymized checklist and atlas with biological attributes for the vascular flora of the United States, Canada, and Greenland. First edition. In: Kartesz, J.T., and C.A. Meacham. Synthesis of the North American Flora, Version 1.0. North Carolina Botanical Garden, Chapel Hill, N.C.
National English Name:	Lackschewitz's Fleabane
National French Name:	Vergerette de Lackschewitz
Element National ID:	234867
Element Global ID:	158067 ( <a href="#">go to NatureServe Explorer</a> )
Element Code:	PDAST3M5W0
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	

## Rank/Status

<b>Global Rank:</b>	G3 (reviewed February 06, 2018)
<b>National Rank (Canada):</b>	N1 (reviewed 2022)
<b>Subnational Ranks (Canada):</b>	AB=S1
<b>National Rank (United States):</b>	N3 (reviewed 2018)
<b>Subnational Ranks (United States):</b>	MT=S3
<b>National Rank (Mexico):</b>	None
<b>Subnational Ranks (Mexico):</b>	None
<b>Canadian SARA Status:</b>	None
<b>Canadian COSEWIC Status:</b>	None
<b>US ESA Status:</b>	None

## Range Map

<b>Date Generated:</b>	March 24, 2023
<b>Version:</b>	1.0
<b>Stage:</b>	Expert Reviewed (National)
<b>Scope:</b>	Canadian
<b>Metadata:</b>	Primary Species - <i>Erigeron lackschewitzii</i> Nesom & W.A. Weber Input Records - 7 AB Element Occurrences, 8 AB Source Feature Polygons, 1 BISON, 6 GBIF, 1 iNaturalist.ca; Expert Reviews - Varina Crisfield
<b>Comments:</b>	None <a href="#">Please see spatial data for Ecoshape-level reviewer comments.</a>
<b>Disclaimer:</b>	Please review our <a href="#">methods document</a> before using EBAR.  EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.  The absence of data in any geographic areas does not necessarily mean that a species is not present.  An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
<b>Presence Definitions:</b>	(Please see Comments above for any exceptions)  Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.  Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.  Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).
<b>Usage Type Definitions:</b>	(Please see Comments above for any exceptions)  Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.  Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
<b>Map Projection:</b>	North America Albers Equal Area Conic (WKID 4269)

## Credits

<b>Suggested Citation:</b>	NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for Erigeron lackschewitzii, Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
<b>License:</b>	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 ( <a href="https://creativecommons.org/licenses/by/4.0/">creativecommons.org/licenses/by/4.0/</a> )
<b>Project Website:</b>	<a href="http://www.natureserve.org/canada/ebar">www.natureserve.org/canada/ebar</a>
<b>Contact:</b>	<a href="mailto:ebar-kba@natureserve.ca">ebar-kba@natureserve.ca</a>
<b>Input References:</b>	AB Element Occurrences - Alberta Conservation Information Management System, Alberta Environment and Parks, Edmonton AB Source Feature Polygons - Alberta Conservation Information Management System, Alberta Environment and Parks, Edmonton BISON - United States Geological Survey ( <a href="https://bison.usgs.gov/">https://bison.usgs.gov/</a> ) GBIF - Global Biodiversity Information Facility ( <a href="https://www.gbif.org">https://www.gbif.org</a> ) iNaturalist.ca - California Academy of Sciences and the National Geographic Society ( <a href="https://www.inaturalist.ca/">https://www.inaturalist.ca/</a> )
<b>Reviewers by Taxa:</b>	<a href="#">Reviewers by Taxa</a>