

# *Nephus intrusus*




- Present
- Presence Expected
- Historical

## Ecosystem-based Automated Range (EBAR)

Date Generated: January 28, 2025; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None



0 50 100 km

Map centre: 79.4305°W 43.3132°N  
© NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Input Records - 3 GBIF; Expert Reviews - 1 Anonymous

## Ecosystem-based Automated Range (EBAR) Metadata

---

### Species

|                            |   |
|----------------------------|---|
| National Scientific Name:  | <i>Nephus intrusus</i> (Horn, 1895)   |
| Scientific Name Reference: | Bousquet, Y., P. Bouchard, A.E. Davies, and D.S. Sikes. 2013. Checklist of beetles (Coleoptera) of Canada and Alaska, second edition. Pensoft Series Faunistica No 109. [Downloadable checklist available: Bousquet, Y., P. Bouchard, A.E. Davies, and D.S. Sikes. 2013. Data associated with Checklist of beetles (Coleoptera) of Canada and Alaska. Second Edition. Data Paper. ZooKeys 360:1-44. <a href="http://dx.doi.org/10.5886/998db52a">http://dx.doi.org/10.5886/998db52a</a> ] |
| National English Name:     | Intrusive Lady Beetle   |
| National French Name:      | Coccinelle intrusive  |
| Element National ID:       | 754084  |
| Element Global ID:         | 743103 ( <a href="#">go to NatureServe Explorer</a> )   |
| Element Code:              | IICOL6Y060  |
| Endemism Type:             | N   |
| Canadian COSEWIC Name:     |   |
| Canadian COSEWIC ID:       |   |

## Rank/Status

|                                    |                      |
|------------------------------------|----------------------|
| Global Rank:                       | GNR                  |
| National Rank (Canada):            | N1N2 (reviewed 2022) |
| Subnational Ranks (Canada):        | ON=S1S2              |
| National Rank (United States):     | None                 |
| Subnational Ranks (United States): | None                 |
| National Rank (Mexico):            | None                 |
| Subnational Ranks (Mexico):        | None                 |
| Canadian SARA Status:              | None                 |
| Canadian COSEWIC Status:           | None                 |
| US ESA Status:                     | None                 |

## Range Map

|                         |  |
|-------------------------|--|
| Date Generated:         | January 28, 2025   |
| Version:                | 1.0  |
| Stage:                  | Expert Reviewed (National)   |
| Scope:                  | Canadian   |
| Metadata:               | Primary Species - <i>Nephus intrusus</i> (Horn, 1895)<br>Input Records - 3 GBIF; Expert Reviews - 1 Anonymous  |
| Comments:               | None<br><a href="#">Please see spatial data for Ecoshape-level reviewer comments.</a>  |
| Disclaimer:             | <p>Please review our <a href="#">methods document</a> before using EBAR.</p> <p>EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.</p> <p>The absence of data in any geographic areas does not necessarily mean that a species is not present.</p> <p>An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.</p>   |
| Presence Definitions:   | <p>(Please see Comments above for any exceptions)</p> <p>Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.</p> <p>Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.</p> <p>Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical.</p> |
| Usage Type Definitions: | <p>(Please see Comments above for any exceptions)</p> <p>Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.</p> <p>Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.</p>   |
| Map Projection:         | North America Albers Equal Area Conic (WKID 4269)  |

## Credits

|                     |  |
|---------------------|--|
| Suggested Citation: | NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for <i>Nephus intrusus</i> , Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]   |
| License:            | Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2024 under CC BY 4.0 ( <a href="https://creativecommons.org/licenses/by/4.0/">creativecommons.org/licenses/by/4.0/</a> )  |
| Project Website:    | <a href="http://www.natureserve.org/canada/ebars">www.natureserve.org/canada/ebars</a>   |
| Contact:            | <a href="mailto:ebars-kba@natureserve.ca">ebars-kba@natureserve.ca</a>   |
| Input References:   | GBIF - <a href="https://gbif.org/">Global Biodiversity Information Facility</a><br>GBIF - <a href="https://doi.org/10.15468/dl.e3ax32">GBIF Occurrence Download https://doi.org/10.15468/dl.e3ax32</a> Accessed from R via <a href="https://github.com/ropensci/rgbif">rgbif</a> ( <a href="https://github.com/ropensci/rgbif">https://github.com/ropensci/rgbif</a> ) on 2024-06-21 |
| Reviewers by Taxa:  | <a href="#">Reviewers by Taxa</a>  |