

# *Steiroxys strepens*




- Present
- Presence Expected
- Historical

## Ecosystem-based Automated Range (EBAR)

Date Generated: February 9, 2026; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None



Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community, Esri, CGIAR, USGS

Input Records - 1 GBIF (2011), 1 iNaturalist.ca (2004); Expert Reviews - Joel Gibson, Joel Gibson

Map centre: 123.4943°W 48.7923°N  
© NatureServe Canada 2026 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

## Ecosystem-based Automated Range (EBAR) Metadata

---

### Species

National Scientific Name:	<i>Steiroxys strepens</i> Fulton, 1930
Scientific Name Reference:	Eades, D.C. and D. Otte. 2009. Orthoptera Species File Online. Version 2.0/3.5. Accessed 25 March 2009. Online. Available: <a href="http://osf2.orthoptera.org/HomePage.aspx">http://osf2.orthoptera.org/HomePage.aspx</a>
National English Name:	Vancouver Island Shieldback
National French Name:	Sauterelle bruyante; Sauterelle de l'île de Vancouver
Element National ID:	826817
Element Global ID:	826816 ( <a href="#">go to NatureServe Explorer</a> )
Element Code:	IIORTG0010
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	1541
English COSEWIC Common Name:	Vancouver Island Shieldback
French COSEWIC Common Name:	Sauterelle de l'île de Vancouver

## Rank/Status

Global Rank:	GNR
National Rank (Canada):	N2 (reviewed 2021)
Subnational Ranks (Canada):	BC=SNR
National Rank (United States):	NNR
Subnational Ranks (United States):	None
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	None
Canadian COSEWIC Status:	Endangered
US ESA Status:	None

## Range Map

<b>Date Generated:</b>	February 09, 2026
<b>Version:</b>	1.0
<b>Stage:</b>	Expert Reviewed (National)
<b>Scope:</b>	Canadian
<b>Metadata:</b>	Primary Species - <i>Steiroxys strepens</i> Fulton, 1930 Input Records - 1 GBIF (2011), 1 iNaturalist.ca (2004); Expert Reviews - Joel Gibson, Joel Gibson
<b>Comments:</b>	None <a href="#">Please see spatial data for Ecoshape-level reviewer comments.</a>
<b>Disclaimer:</b>	Please review our <a href="#">methods document</a> before using EBAR.  EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.  The absence of data in any geographic areas does not necessarily mean that a species is not present.  An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
<b>Presence Definitions:</b>	(Please see Comments above for any exceptions)  Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.  Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.  Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical.
<b>Usage Type Definitions:</b>	(Please see Comments above for any exceptions)  Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.  Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
<b>Map Projection:</b>	North America Albers Equal Area Conic (WKID 4269)

## Credits

<b>Suggested Citation:</b>	NatureServe Canada, 2026. Ecosystem-based Automated Range (EBAR) for <i>Steiroxys strepens</i> , Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
<b>License:</b>	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2026 under CC BY 4.0 ( <a href="https://creativecommons.org/licenses/by/4.0/">creativecommons.org/licenses/by/4.0/</a> )
<b>Project Website:</b>	<a href="http://www.natureserve.org/canada/ebar">www.natureserve.org/canada/ebar</a>
<b>Contact:</b>	<a href="mailto:ebar-kba@natureserve.ca">ebar-kba@natureserve.ca</a>
<b>Input References:</b>	GBIF - <a href="#">Global Biodiversity Information Facility</a> GBIF - <a href="https://doi.org/10.15468/dl.e3ax32">GBIF Occurrence Download https://doi.org/10.15468/dl.e3ax32</a> Accessed from R via <a href="#">rgbif</a> ( <a href="https://github.com/ropensci/rgbif">https://github.com/ropensci/rgbif</a> ) on 2024-06-21 iNaturalist.ca - <a href="#">California Academy of Sciences and the National Geographic Society</a>
<b>Reviewers by Taxa:</b>	<a href="#">Reviewers by Taxa</a>