Sclerophora peronella pop. 1

- **Present**
- **Presence Expected**
- **Historical**

Ecosystem-based Automated Range (EBAR)

Date Generated: April 6, 2023; Version: 1.0; Stage: Expert Reviewed (Low Star Rating); Scope: Global

Synonyms Used: None

NEWFOUNDLAND AND LABRADOR

QUEBEC

LOW STAR RATING

Sept-Îles

Gulf of St. Lawrence

St John's

NEW BRUNSWICK

Quebec

Halifax

MAINE

Montreal

Ottawa

VERMONT

Sources: Esri, Airbus DS, USGS, NGA, NASA, CGIAR, N Robinson, NCEAS, NLS, OS, NMA, Geodatastyrelsen, Rijkswaterstaat, GSA, Geoland, FEMA, Intermap and the GIS user community, Sources: Esri, HERE, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community

0   220   440 km

Input Records - 194 ACCDC Observations, 3 BISON, 14 GBIF, 16 iNaturalist.ca; Expert Reviews - James Lendemer

Map centre: 59.2307°W 47.8309°N

Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	*Sclerophora peronella pop. 1*
Scientific Name Reference:	Committee on the Status of Endangered Wildlife in Canada (COSEWIC) 2014. COSEWIC assessment results. November 2014. Online: http://www.cosewic.ca/index.php/en-ca/assessment-process
National English Name:	Frosted Glass-whiskers - Atlantic population
National French Name:	
Element National ID:	828411
Element Global ID:	828410 (go to NatureServe Explorer)
Element Code:	NLT0032311
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	739

Rank/Status

Global Rank:	G3G4TNR
National Rank (Canada):	N1 (reviewed September 14, 2012)
Subnational Ranks (Canada):	Cannot access
National Rank (United States):	Cannot access
Subnational Ranks (United States):	Cannot access
National Rank (Mexico):	Cannot access
Subnational Ranks (Mexico):	Cannot access
Canadian SARA Status:	Special Concern/Préoccupante
Canadian COSEWIC Status:	SC
US ESA Status:	Cannot access

Range Map

Date Generated:	April 06, 2023
Version:	1.0
Stage:	Expert Reviewed (Low Star Rating)
Scope:	Global
Metadata:	Primary Species - *Sclerophora peronella pop. 1* ; Secondary Species - *Sclerophora peronella* (Ach.) Tibell
	Input Records - 194 ACCDC Observations, 3 BISON, 14 GBIF, 16 iNaturalist.ca; Expert Reviews - James Lendemer
Comments:	This range has a low star rating.
Disclaimer:	Please review our methods document before using EBAR.
	EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.
	The absence of data in any geographic areas does not necessarily mean that a species is not present.
	An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions)
	Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.
	Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.
	Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).
Usage Type Definitions:	(Please see Comments above for any exceptions)
	Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.
	Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)