

# *Sclerophora peronella* pop. 2




## Ecosystem-based Automated Range (EBAR)

- Present
- Presence Expected
- Historical

Date Generated: August 30, 2023; Version: 1.0; Stage: Expert Reviewed (Low Star Rating); Scope: Global

Synonyms Used: None



Esri, Canada, Esri, TomTom, Garmin, FAO, NOAA, USGS, EPA, NRCAN, Parks Canada, Esri, CGIAR, USGS

Input Records - 1 Goward et al. 1996; Expert Reviews - James Lendemer

Map centre: 128.7317°W 54.7029°N  
© NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

## Ecosystem-based Automated Range (EBAR) Metadata

---

### Species

National Scientific Name:	<i>Sclerophora peronella</i> pop. 2
Scientific Name Reference:	Committee on the Status of Endangered Wildlife in Canada (COSEWIC) 2014. COSEWIC assessment results. November 2014. Online: <a href="http://www.cosewic.ca/index.php/en-ca/assessment-process">http://www.cosewic.ca/index.php/en-ca/assessment-process</a>
National English Name:	Frosted Glass-whiskers - Pacific population
National French Name:	Sclérophore givré - Population du Pacifique
Element National ID:	828413
Element Global ID:	828412 ( <a href="#">go to NatureServe Explorer</a> )
Element Code:	NLT0032312
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	882

## Rank/Status

Global Rank:	G3G4TNR
National Rank (Canada):	N1 (reviewed 2022)
Subnational Ranks (Canada):	BC=SNR
National Rank (United States):	None
Subnational Ranks (United States):	None
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	None
Canadian COSEWIC Status:	Data Deficient (November 28, 2014)
US ESA Status:	None

## Range Map

<b>Date Generated:</b>	August 30, 2023
<b>Version:</b>	1.0
<b>Stage:</b>	Expert Reviewed (Low Star Rating)
<b>Scope:</b>	Global
<b>Metadata:</b>	Primary Species - <i>Sclerophora peronella</i> pop. 2 ; Secondary Species - <i>Sclerophora peronella</i> (Ach.) Tibell Input Records - 1 Goward et al. 1996; Expert Reviews - James Lendemer
<b>Comments:</b>	Range spatially constrained to British Columbia to capture the COSEWIC population extent. This range has a low star rating. Range overestimates the distribution of this species. Species is highly restricted within the ecoshapes and so these are not effective estimates of the total AOO of the species.
<b>Disclaimer:</b>	Please review our <a href="#">methods document</a> before using EBAR.  EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.  The absence of data in any geographic areas does not necessarily mean that a species is not present.  An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
<b>Presence Definitions:</b>	(Please see Comments above for any exceptions)  Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.  Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.  Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).
<b>Usage Type Definitions:</b>	(Please see Comments above for any exceptions)  Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.  Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
<b>Map Projection:</b>	North America Albers Equal Area Conic (WKID 4269)

## Credits

**Suggested Citation:**

NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for *Sclerophora peronella* pop. 2, Version 1.0, Expert Reviewed (Low Star Rating) (Global Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]

**License:**

Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 ([creativecommons.org/licenses/by/4.0/](https://creativecommons.org/licenses/by/4.0/))

**Project Website:**

[www.natureserve.org/canada/ebar](http://www.natureserve.org/canada/ebar)

**Contact:**

[ebar-kba@natureserve.ca](mailto:ebar-kba@natureserve.ca)

**Input References:**

Goward et al. 1996 - Goward, T., Breuss, O., Ryan, B., Mccune, B., & Sipman, H. (1996). Notes on the Lichens and Allied Fungi of British Columbia . III Christoph Scheidegger Published by : American Bryological and Lichenological Society Stable URL : <https://www.jstor.org/stable/3244108>. The Bryologist, 99(4), 439-449.

**Reviewers by Taxa:**

[Reviewers by Taxa](#)