## Antrostomus vociferus

Present

**Breeding** 


Presence Expected ### Possible Breeding

Historical

Ecosystem-based Automated Range (EBAR) Date Generated: March 18, 2025; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: Caprimulgus vociferus

NATURESERVE CANADA



Map centre: 82.131°W 49.2486°N

Bird Atlas, 8 SK Breeding Bird Atlas, 5 SK Element Occurrences, 1 SK Source Feature Points, 11 SK So... (see metadata for additional input details) © NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.



## Ecosystem-based Automated Range (EBAR) Metadata

## Species

National Scientific Name:	Antrostomus vociferus (Wilson, 1812)
Scientific Name Reference:	American Ornithologists' Union (AOU). Chesser, R.T., R.C. Banks, F.K. Barker, C. Cicero, J.L. Dunn, A.W. Kratter, I.J. Lovette, P.C. Rasmussen, J.V. Remsen, Jr., J.D. Rising, D.F. Stotz, and K. Winker. 2012. Fifty-third supplement to the American Ornithologists' Union Check-list of North American Birds. The Auk 129(3):573-588.
National English Name:	Eastern Whip-poor-will
National French Name:	Engoulevent bois-pourri
Element National ID:	871697
Element Global ID:	871696 ( <u>go to NatureServe Explorer</u> )
Element Code:	ABNTA07070
Endemism Type:	Ν
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	1047

## Rank/Status

Metadata:

Global Rank:	G5 (reviewed April 06, 2016)
National Rank (Canada):	N4B,N3M (reviewed 2017)
Subnational Ranks (Canada):	MB=S2S3B, NB=S2B, ON=S4B, QC=S3B, SK=S1B
National Rank (United States):	N5B,NNRN (reviewed 1997)
Subnational Ranks (United States):	: AL=S5B,S3N, AR=S3B, CA=SNA, CT=S3B, DC=S3N, DE=S2B, FL=S4N, GA=S4S5, IA=S5B, IL=S5, IN=S4B, KS=S3B, KY=S5B, LA=S3M, MA=S2S3B,S3N, MD=S3S4B, ME=S3B, MI=S3, MN=SNRB, MO=S3B, MS=S2?B, NC=S3B, ND=SU, NE=S3, NH=S3B, NJ=S3B,S3N, NY=S3B, OH=S5, OK=S2B, PA=S3B,S3M, RI=S4B, SC=S3S4, SD=S1B, TN=S3S4, TX=S4B, VA=S5, VT=S2B, WI=S2B, WV=S3B
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	Threatened/Menacée (February 04, 2011)
Canadian COSEWIC Status:	Special Concern (December 03, 2022)
US ESA Status:	None
Range Map	
Date Generated:	March 18, 2025
Version:	1.0
Stage:	Expert Reviewed (National)
Scope:	Canadian

Primary Species - *Antrostomus vociferus* (Wilson, 1812); Synonyms - *Caprimulgus vociferus* Wilson, 1812 Input Records - 312 ACCDC Observations, 4242 Birds Canada Nature Counts, 17409 eBird, 325 ECCC Critical Habitat, 149 GBIF, 664 iNaturalist.ca, 68 iNaturalist.ca (original coordinates for obscured records), 75 Maritimes Breeding Bird Atlas, 400 MB Breeding Bird Atlas, 172 MB Element Occurrences, 64 MB Source Feature Points, 412 MB Source Feature Polygons, 858 ON Breeding Bird Atlas, 59 ON Element Occurrences, 18665 ON Observations and Source Features, 476 QC Breeding Bird Atlas, 8 SK Breeding Bird Atlas, 5 SK Element Occurrences, 1 SK Source Feature Points, 11 SK Source Feature Polygons; Expert Reviews - Colin Murray, Sean Jenniskens, John Klymko, 2 Anonymous

Comments:None<br/>Please see spatial data for Ecoshape-level reviewer comments.Disclaimer:Please review our methods document before using EBAR.

EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis.

	The absence of data in any geographic areas does not necessarily mean that a species is not present.
	An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions)
	Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.
	Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.
	Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical.
Usage Type Definitions:	(Please see Comments above for any exceptions)
	Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.
	Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)
Credits	
Suggested Citation:	NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for Antrostomus vociferus, Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
License:	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2024 under CC BY 4.0 ( <u>creativecommons.org/licenses/by/4.0/</u> )
Project Website:	www.natureserve.org/canada/ebar
Contact:	ebar-kba@natureserve.ca

Input References:

Birds Canada Nature Counts - <u>Birds Canada. 2024. NatureCounts data. https://naturecounts.ca. Accessed on 8 Feb.</u> 2024.

Birds Canada Nature Counts - <u>Birds Canada. 2024. NatureCounts data. https://naturecounts.ca. Accessed on 24 Dec.</u> 2024.

eBird - <u>eBird Basic Dataset</u>. Version: <u>EBD\_relMar-2022</u>. Cornell Lab of Ornithology, <u>Ithaca</u>, <u>New York</u>. <u>Mar 2022</u>. <u>eBird</u>: <u>An online database of bird distribution and abundance [web application]</u>. <u>eBird</u>, <u>Cornell Lab of Ornithology</u>, <u>Ithaca</u>, <u>New</u> <u>York</u>. <u>Available</u>: <u>http://www.ebird.org</u>

ECCC Critical Habitat - Environment and Climate Change Canada

GBIF - Global Biodiversity Information Facility

iNaturalist.ca - California Academy of Sciences and the National Geographic Society

iNaturalist.ca (original coordinates for obscured records) - <u>California Academy of Sciences and the National Geographic</u> <u>Society</u>

Maritimes Breeding Bird Atlas - Birds Canada, Environment Canada - Canadian Wildlife Service, New Brunswick Department of Natural Resources, Nova Scotia Department of Natural Resources, Prince Edward Island Department of Agriculture and Forestry. 2012. Maritimes Breeding Bird Atlas Database. Data accessed from NatureCounts, a node of the Avian Knowledge Network, Birds Canada. Available: http://www.naturecounts.ca/.

MB Breeding Bird Atlas - Manitoba Breeding Bird Atlas. 2014. Data accessed from NatureCounts, a node of the Avian Knowledge Network, Birds Canada. Available: https://www.naturecounts.ca/

MB Element Occurrences - Manitoba Conservation Data Centre

MB Source Feature Points - Manitoba Conservation Data Centre

MB Source Feature Polygons - Manitoba Conservation Data Centre

ON Breeding Bird Atlas - Birds Canada, Environment Canada's Canadian Wildlife Service, Ontario Nature, Ontario Field Ornithologists and Ontario Ministry of Natural Resources. 2008. Ontario Breeding Bird Atlas Database. Data accessed from NatureCounts, a node of the Avian Knowledge Network, Birds Canada.

ON Element Occurrences - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry ON Observations and Source Features - Natural Heritage Information Centre, Ontario Ministry of Natural Resources and Forestry

QC Breeding Bird Atlas - Québec Breeding Bird Atlas. 2014. Data accessed from NatureCounts, a node of the Avian Knowledge Network, Birds Canada. Available: https://www.naturecounts.ca/

SK Breeding Bird Atlas - Saskatchewan Breeding Bird Atlas. 2017. Data accessed from NatureCounts, a node of the Avian Knowledge Network, Birds Canada. Available: https://www.naturecounts.ca/

SK Element Occurrences - Saskatchewan Conservation Data Centre

SK Source Feature Points - Saskatchewan Conservation Data Centre

SK Source Feature Polygons - Saskatchewan Conservation Data Centre

Reviewers by Taxa:

Reviewers by Taxa