

Taxidea taxus pop. 2


- Present
- Presence Expected
- Historical



Ecosystem-based Automated Range (EBAR)

Date Generated: November 26, 2025; Version: 1.0; Stage: Auto-generated; Scope: Canadian

Synonyms Used: None



0 120 240 km
Map centre: 114.9483° O 51.9766° N
© NatureServe Canada 2026 under CC BY 4.0
EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Input Records - 12 BC Non-sensitive Element Occurrences (1945-2010), 424 BC Survey Observations (1968-2018), 1431 BC Telemetry Observations (1996-2002), 22 ECCC Critical Habitat (2024), 331 FWMIS (1945-2023), 31 GBIF (1898-2025), 6 iDigBio (1929-1945), 52 iNaturalist.ca (2005-2025), 1 iNaturalist.ca (original coordinates for obscured records) (2022), 2 iNaturalist.org (2022); Expert Reviews -

Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	<i>Taxidea taxus pop. 2</i>
Scientific Name Reference:	Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2012b. COSEWIC Assessment Results November 2012. Accessed online at http://www.cosewic.ca/index.php/en-ca/assessment-process
National English Name:	American Badger jeffersonii subspecies (Eastern population)
National French Name:	Blaireau d'Amérique de la sous-espèce jeffersonii (Population de l'Est)
Element National ID:	884606
Element Global ID:	884605 (go to NatureServe Explorer)
Element Code:	AMAJF04016
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	1230
English COSEWIC Common Name:	
French COSEWIC Common Name:	

Rank/Status

Global Rank:	G5TNRQ
National Rank (Canada):	NNR
Subnational Ranks (Canada):	Cannot access
National Rank (United States):	Cannot access
Subnational Ranks (United States):	Cannot access
National Rank (Mexico):	Cannot access
Subnational Ranks (Mexico):	Cannot access
Canadian SARA Status:	Endangered/En voie de disparition
Canadian COSEWIC Status:	Non-active/Nonactive
US ESA Status:	Cannot access

Range Map

Date Generated:	November 26, 2025
Version:	1.0
Stage:	Auto-generated
Scope:	Canadian
Metadata:	Primary Species - <i>Taxidea taxus</i> pop. 2 ; Secondary Species - <i>Taxidea taxus</i> (Schreber, 1777), <i>Taxidea taxus jeffersonii</i> (Harlan, 1825) Input Records - 12 BC Non-sensitive Element Occurrences (1945-2010), 424 BC Survey Observations (1968-2018), 1431 BC Telemetry Observations (1996-2002), 22 ECCC Critical Habitat (2024), 331 FWMIS (1945-2023), 31 GBIF (1898-2025), 6 iDigBio (1929-1945), 52 iNaturalist.ca (2005-2025), 1 iNaturalist.ca (original coordinates for obscured records) (2022), 2 iNaturalist.org (2022); Expert Reviews -
Comments:	Range spatially constrained using a custom polygon to capture the COSEWIC population extent. Custom polygon based on the 2012 COSEWIC Assessment and Update Status Report: https://wildlife-species.canada.ca/species-risk-registry/virtual_sara/files/cosewic/sr_blaireau_am_badger_1113_e.pdf
Disclaimer:	Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present.

An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.

Presence Definitions:

(Please see Comments above for any exceptions)

Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion.

Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model.

Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical.

Usage Type Definitions:

(Please see Comments above for any exceptions)

Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion.

Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.

Map Projection:

North America Albers Equal Area Conic (WKID 4269)

Credits

Suggested Citation:

NatureServe Canada, 2026. Ecosystem-based Automated Range (EBAR) for Taxidea taxus pop. 2, Version 1.0, Auto-generated (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]

License:

Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2026 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/)

Project Website:

www.natureserve.org/canada/ebar

Contact:

ebbar-kba@natureserve.ca

Input References:

BC Non-sensitive Element Occurrences - [British Columbia Conservation Data Centre](#)

BC Survey Observations - [British Columbia Conservation Data Centre](#)

BC Telemetry Observations - [British Columbia Conservation Data Centre](#)

ECCC Critical Habitat - [Environment and Climate Change Canada](#)

FWMIS - Fish and Wildlife Management Information System (FWMIS), Alberta Environment and Parks.

GBIF - [Global Biodiversity Information Facility](#)

GBIF - [GBIF.org \(29 June 2023\)](#) GBIF Occurrence Download <https://doi.org/10.15468/dl.ync22y>

iDigBio - [Integrated Digital Biocollection](#)

iNaturalist.ca - [California Academy of Sciences and the National Geographic Society](#)

iNaturalist.ca (original coordinates for obscured records) - [California Academy of Sciences and the National Geographic Society](#)

iNaturalist.org - [California Academy of Sciences and the National Geographic Society](#)

Reviewers by Taxa:

[Reviewers by Taxa](#)