

Anaxyrus boreas pop. 4




- Present
- Presence Expected
- Historical

Ecosystem-based Automated Range (EBAR)

Date Generated: November 18, 2025; Version: 1.0; Stage: Auto-generated; Scope: Global

Synonyms Used: Bufo boreas, Bufo boreas boreas, Anaxyrus boreas boreas



0 250 500 km

Input Records - 4574 BC Survey Observations (1996-2023), 12662 FWMIS (1975-2024), 730 GBIF (1884-2025), 29 iDigBio (1884-1959), 1637 iNaturalist.ca (1997-2025), 92 iNaturalist.ca (original coordinates for obscured records) (2005-2024), 5 iNaturalist.org (2014-2020), 2 NT Element Occurrences (2007-2013), 106 VertNet (1911-1977); Expert Reviews -

Map centre: 115.5949°O 55.0571°N

© NatureServe Canada 2026 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	<i>Anaxyrus boreas</i> pop. 4
Scientific Name Reference:	Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2012b. COSEWIC Assessment Results November 2012. Accessed online at http://www.cosewic.ca/index.php/en-ca/assessment-process
National English Name:	Western Toad (Calling population)
National French Name:	Crapaud de l'Ouest (Population chantante)
Element National ID:	884960
Element Global ID:	884959 (go to NatureServe Explorer)
Element Code:	AAABB01036
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	1215
English COSEWIC Common Name:	Western Toad (Calling population)
French COSEWIC Common Name:	Crapaud de l'Ouest (Population chantante)

Rank/Status

Global Rank:	G4TNRQ
National Rank (Canada):	NNR
Subnational Ranks (Canada):	AB=SNR, BC=SNR
National Rank (United States):	None
Subnational Ranks (United States):	None
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	Special Concern/Préoccupante (January 12, 2005)
Canadian COSEWIC Status:	Special Concern
US ESA Status:	None

Range Map

Date Generated:	November 18, 2025
Version:	1.0
Stage:	Auto-generated
Scope:	Global
Metadata:	Primary Species - <i>Anaxyrus boreas</i> pop. 4 ; Secondary Species - <i>Anaxyrus boreas</i> (Baird and Girard, 1852); Synonyms - <i>Bufo boreas</i> Baird and Girard, 1852, <i>Bufo boreas boreas</i> Baird and Girard, 1852, <i>Anaxyrus boreas boreas</i> Input Records - 4574 BC Survey Observations (1996-2023), 12662 FWMIS (1975-2024), 730 GBIF (1884-2025), 29 iDigBio (1884-1959), 1637 iNaturalist.ca (1997-2025), 92 iNaturalist.ca (original coordinates for obscured records) (2005-2024), 5 iNaturalist.org (2014-2020), 2 NT Element Occurrences (2007-2013), 106 VertNet (1911-1977); Expert Reviews -
Comments:	None
Disclaimer:	Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present. An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions) Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion. Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model. Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical.
Usage Type Definitions:	(Please see Comments above for any exceptions) Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion. Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)

Credits

Suggested Citation:

NatureServe Canada, 2026. Ecosystem-based Automated Range (EBAR) for *Anaxyrus boreas* pop. 4, Version 1.0, Auto-generated (Global Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]

License:

Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2026 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/)

Project Website:

www.natureserve.org/canada/ebars

Contact:

ebars-kba@natureserve.ca

Input References:

BC Survey Observations - [British Columbia Conservation Data Centre](#)

FWMIS - Fish and Wildlife Management Information System (FWMIS), Alberta Environment and Parks.

GBIF - [Global Biodiversity Information Facility](#)

GBIF - [GBIF Occurrence Download https://doi.org/10.15468/dl.e3ax32](https://doi.org/10.15468/dl.e3ax32) Accessed from R via rgbif (<https://github.com/ropensci/rgbif>) on 2024-06-21

GBIF - [GBIF.org](https://gbif.org) (29 June 2023) GBIF Occurrence Download <https://doi.org/10.15468/dl.ync22y>

iDigBio - [Integrated Digital Biocollection](#)

iNaturalist.ca - [California Academy of Sciences and the National Geographic Society](#)

iNaturalist.ca (original coordinates for obscured records) - [California Academy of Sciences and the National Geographic Society](#)

iNaturalist.org - [California Academy of Sciences and the National Geographic Society](#)

NT Element Occurrences - Northwest Territories Conservation Data Centre (2019). Element Occurrences from NT Biotics. Accessed 20 May 2021. Environment and Natural Resource, Government of NWT, Yellowknife, NT.

VertNet - [National Science Foundation](#)

Reviewers by Taxa:

[Reviewers by Taxa](#)