Ambystoma tigrinum pop. 5

- Present
- Presence Expected
- Historical

NatureServe Canada

Ecosystem-based Automated Range (EBAR)

Date Generated: November 12, 2025; Version: 1.0; Stage: Auto-generated; Scope: Global

Synonyms Used: None



0 125 250 km

Input Records - 15 GBIF (1904-2016), 8 iDigBio (1884-1987), 8 iNaturalist.ca (2016-2024), 5 iNaturalist.ca (original coordinates for obscured records) (2015-2021), 33 MB Element Occurrences (1969-2022), 2 MB Source Feature Lines (2017), 13 MB Source Feature Points (2014-2022), 72 MB Source Feature Polygons (1969-2022), 15 VertNet (1874-1986); Expert Reviews -

Map centre: 96.9217°O 52.1933°N

© NatureServe Canada 2026 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	*Ambystoma tigrinum pop. 5*
Scientific Name Reference:	Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2013. COSEWIC Assessment Results November 2013. Accessed online at http://www.cosewic.ca/index.php/en-ca/assessment-process
National English Name:	Eastern Tiger Salamander (Prairie population)
National French Name:	Salamandre tigrée de l'Est (Population des Prairies)
Element National ID:	902866
Element Global ID:	902865 (go to NatureServe Explorer)
Element Code:	AAAAA0114B
Endemism Type:	Y
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	1231
English COSEWIC Common Name:	Eastern Tiger Salamander (Prairie population)
French COSEWIC Common Name:	Salamandre tigrée de l'Est (Population des Prairies)

Rank/Status

Global Rank:	G5TNRQ
National Rank (Canada):	NNR
Subnational Ranks (Canada):	MB=SNR
National Rank (United States):	None
Subnational Ranks (United States):	None
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	Endangered/En voie de disparition (February 02, 2018)
Canadian COSEWIC Status:	Endangered
US ESA Status:	None

Range Map

Date Generated:	November 12, 2025
Version:	1.0
Stage:	Auto-generated
Scope:	Global
Metadata:	Primary Species - *Ambystoma tigrinum pop. 5* ; Secondary Species - *Ambystoma tigrinum* (Green, 1825) Input Records - 15 GBIF (1904-2016), 8 iDigBio (1884-1987), 8 iNaturalist.ca (2016-2024), 5 iNaturalist.ca (original coordinates for obscured records) (2015-2021), 33 MB Element Occurrences (1969-2022), 2 MB Source Feature Lines (2017), 13 MB Source Feature Points (2014-2022), 72 MB Source Feature Polygons (1969-2022), 15 VertNet (1874-1986); Expert Reviews -
Comments:	Range spatially constrained to Manitoba to capture the COSEWIC population extent.
Disclaimer:	Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present. An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions) Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion. Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model. Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?), or expert opinion that the species is extirpated or historical.
Usage Type Definitions:	(Please see Comments above for any exceptions) Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion. Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)

Credits

Suggested Citation:	NatureServe Canada, 2026. Ecosystem-based Automated Range (EBAR) for Ambystoma tigrinum pop. 5, Version 1.0, Auto-generated (Global Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]
License:	Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2026 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/)
Project Website:	www.natureserve.org/canada/ebar
Contact:	ebar-kba@natureserve.ca
Input References:	GBIF - Global Biodiversity Information Facility GBIF - GBIF Occurrence Download https://doi.org/10.15468/dl.e3ax32 Accessed from R via rgbif (https://github.com/ropensci/rgbif) on 2024-06-21 iDigBio - Integrated Digital Biocollection iNaturalist.ca - California Academy of Sciences and the National Geographic Society iNaturalist.ca (original coordinates for obscured records) - California Academy of Sciences and the National Geographic Society MB Element Occurrences - Manitoba Conservation Data Centre MB Source Feature Lines - Manitoba Conservation Data Centre MB Source Feature Points - Manitoba Conservation Data Centre MB Source Feature Polygons - Manitoba Conservation Data Centre VertNet - National Science Foundation
Reviewers by Taxa:	Reviewers by Taxa