Catharus bicknelli

Present
Presence Expected
Historical
Breeding
Possible Breeding

NatureServe Canada

Ecosystem-based Automated Range (EBAR)

Date Generated: April 16, 2024; Version: 1.0; Stage: Expert Reviewed (National); Scope: Canadian

Synonyms Used: None

0 220 440 km

Input Records - 1746 ACCDC Observations, 2734 eBird, 26 iNaturalist.ca, 4 iNaturalist.ca (original coordinates for obscured records), 82 Maritimes Breeding Bird Atlas, 128 QC Breeding Bird Atlas, 150 QC Element Occurrences; Expert Reviews - Sean Blaney, 1 Anonymous

Map centre: 70.3858°W 47.449°N

© NatureServe Canada 2020 under CC BY 4.0

EBAR is relatively coarse scale data and not intended for all applications and analysis. Please see full disclaimer in metadata.

Ecosystem-based Automated Range (EBAR) Metadata

Species

National Scientific Name:	*Catharus bicknelli* (Ridgway, 1882)
Scientific Name Reference:	American Ornithologists' Union (AOU). 1998. Check-list of North American birds. Seventh edition. American Ornithologists' Union, Washington, D.C. [as modified by subsequent supplements and corrections published in *The Auk*]. Also available online: http://www.aou.org/.
National English Name:	Bicknell's Thrush
National French Name:	Grive de Bicknell
Element National ID:	163988
Element Global ID:	106330 (go to NatureServe Explorer)
Element Code:	ABPBJ18120
Endemism Type:	N
Canadian COSEWIC Name:	
Canadian COSEWIC ID:	584

Rank/Status

Global Rank:	G4 (reviewed April 07, 2016)
National Rank (Canada):	N2B (reviewed 2023)
Subnational Ranks (Canada):	NB=S2B, NS=S1B, ON=SNA, PE=SHB, QC=S2B
National Rank (United States):	N4B (reviewed 1997)
Subnational Ranks (United States):	CT=SNA, DE=SNA, GA=SNA, MA=SXB, MD=SNA, ME=S2B, NC=SNA, NH=S2S3B, NJ=S3N, NY=S2S3B, PA=SNA, RI=SNA, SC=SNA, VA=SNA, VT=S2B
National Rank (Mexico):	None
Subnational Ranks (Mexico):	None
Canadian SARA Status:	Threatened/Menacée (June 20, 2012)
Canadian COSEWIC Status:	Threatened (December 01, 2022)
US ESA Status:	None

Range Map

Date Generated:	April 16, 2024
Version:	1.0
Stage:	Expert Reviewed (National)
Scope:	Canadian
Metadata:	Primary Species - *Catharus bicknelli* (Ridgway, 1882) Input Records - 1746 ACCDC Observations, 2734 eBird, 26 iNaturalist.ca, 4 iNaturalist.ca (original coordinates for obscured records), 82 Maritimes Breeding Bird Atlas, 128 QC Breeding Bird Atlas, 150 QC Element Occurrences; Expert Reviews - Sean Blaney, 1 Anonymous
Comments:	None Please see spatial data for Ecoshape-level reviewer comments.
Disclaimer:	Please review our methods document before using EBAR. EBAR range data are relatively coarse scale and appropriate for screening and education purposes, but are not intended for all types of applications and analysis. The absence of data in any geographic areas does not necessarily mean that a species is not present. An ecoshape with a presence value does not necessarily mean that a species is present throughout the entire geographic area.
Presence Definitions:	(Please see Comments above for any exceptions) Present - the species is found within the ecoshape based on species observation data, Element Occurrences, Source Features, Canadian Federal Critical Habitat, or expert opinion. Presence Expected - expert opinion the species may be present, or the ecoshape overlapped with a range estimate or a habitat suitability model. Historical - all species occurrence data within the ecoshape contains observation data greater than 40 years old or an Element Occurrence (EO) that was ranked as Extirpated or Historical (EO Rank of H, H?, X or X?).
Usage Type Definitions:	(Please see Comments above for any exceptions) Breeding - the species is thought to breed within the ecoshape based on eBird Breeding and Behaviour Codes or expert opinion. Possible Breeding - the species is probably or possibly breeding within the ecoshape based on eBird, BBA or jurisdiction Breeding and Behaviour Codes, or on expert opinion.
Map Projection:	North America Albers Equal Area Conic (WKID 4269)

Credits

Suggested Citation: NatureServe Canada, 2020. Ecosystem-based Automated Range (EBAR) for Catharus bicknelli, Version 1.0, Expert Reviewed (National) (Canadian Scope). Ottawa, Canada. Retrieved from [insert url] on [insert date]

License: Ecosystem-based Automated Range (EBAR) Project, Copyright NatureServe Canada 2022 under CC BY 4.0 (creativecommons.org/licenses/by/4.0/)

Project Website: www.natureserve.org/canada/ebar

Contact: ebar-kba@natureserve.ca

Input References:

ACCDC Observations - Atlantic Canada Conservation Data Centre
eBird - eBird Basic Dataset. Version: EBD_relMar-2022. Cornell Lab of Ornithology, Ithaca, New York. Mar 2022. eBird: An online database of bird distribution and abundance [web application]. eBird, Cornell Lab of Ornithology, Ithaca, New York. Available: http://www.ebird.org
iNaturalist.ca - California Academy of Sciences and the National Geographic Society
iNaturalist.ca (original coordinates for obscured records) - California Academy of Sciences and the National Geographic Society
Maritimes Breeding Bird Atlas - Birds Canada, Environment Canada - Canadian Wildlife Service, New Brunswick Department of Natural Resources, Nova Scotia Department of Natural Resources, Prince Edward Island Department of Agriculture and Forestry. 2012. Maritimes Breeding Bird Atlas Database. Data accessed from NatureCounts, a node of the Avian Knowledge Network, Birds Canada. Available: http://www.naturecounts.ca/.
QC Breeding Bird Atlas - Québec Breeding Bird Atlas. 2014. Data accessed from NatureCounts, a node of the Avian Knowledge Network, Birds Canada. Available: https://www.naturecounts.ca/
QC Element Occurrences - Centre de Données sur le Patrimoine Naturel du Québec

Reviewers by Taxa: Reviewers by Taxa